



**TOMASON**

**PCR TIRES**

**2024**



# About us

## Tomason – Dynamic & Safety Tire from Germany

Founded in Germany, Tomason has been active in the rim and tire market for over 20 years.


When the first Tomason tire, the SportRace, was developed and launched in 2016, the feedback from customers was so overwhelming as it was always for Tomason Rim. We have been constantly developing new tires and designs ever since.

TOMASON expresses dynamism, performance, passion and safety to all its customers!

TOMASON delivers first-class design, great handling and reliability through its tire which covers a wide range of vehicle types - sports cars, VAN, SUV and commercial vehicles, from small to compact, middle class to luxury, with classic and mini designs from 12" as well as aggressive and superb designs up to 22".

To provide high quality products at a fair price is the pursue of TOMASON. Thanks to our innovative design team, we are keeping pace with the trend, and will always be.

At TOMASON, we stand united with our customers for a safer way forward.





# CONTENTS

<b>COMFORT ECO</b> -----	<b>1-2</b>
<b>SPORTRACE</b> -----	<b>3-4</b>
<b>SPORT TERRA H/T</b> -----	<b>5-6</b>
<b>SPORT SUV</b> -----	<b>7-8</b>
<b>ECO TRANS</b> -----	<b>9-10</b>
<b>ECO TERRA A/T</b> -----	<b>11-12</b>
<b>SPORT TERRA M/T</b> -----	<b>13</b>






# COMFORT ECO

**UTQG: 400 A A**



Four main grooves design ensures anti-hydroplaning performance.



Improve stability and straight-line performance at high speed.



High density sipes design reduces noise level while improves wet grip performance.



A	A
B	B
C	C
D	D
E	E
F	F
G	G

	69 dB
--	-------

1222/2009 - C1

# COMFORT PCR



Rim Diameter	Size Description	Sidewall
12	145/70R12 69T	BSW
	145/80R12 74T	BSW
	155/70R12 73T	BSW
	155/80R12 77T	BSW
	165/70R12 77T	BSW
	175/70R12 81T	BSW
13	145/70R13 71T	BSW
	145/80R13 75T	BSW
	155/65R13 73T	BSW
	155/70R13 75T	BSW
	155/80R13 79T	BSW
	165/65R13 77T	BSW
	165/70R13 79T	BSW
	165/80R13 83T	BSW
	175/60R13 77H	BSW
	175/65R13 80T	BSW
175/70R13 82T	BSW	
14	185/70R13 86T	BSW
	155/65R14 75T	BSW
	155/70R14 77T	BSW
	165/60R14 75H	BSW
	165/65R14 79T	BSW
	165/70R14 81T	BSW
	175/60R14 79H	BSW
	175/65R14 82H	BSW
	175/65R14 86TXL	BSW
	175/70R14 84T	BSW
	175/70R14 88TXL	BSW
	185/50R14 77V	BSW
	185/55R14 80H	BSW
	185/60R14 82H	BSW
	185/65R14 86H	BSW
	185/70R14 88T	BSW
	195/60R14 86H	BSW
	195/65R14 89H	BSW
195/70R14 91T	BSW	
205/60R14 88H	BSW	
205/70R14 95T	BSW	

Rim Diameter	Size Description	Sidewall
15	155/60R15 74T	BSW
	165/60R15 81TXL	BSW
	165/65R15 81T	BSW
	175/55R15 77T	BSW
	175/60R15 81V	BSW
	175/65R15 84H	BSW
	185/55R15 82V	BSW
	185/60R15 84H	BSW
	185/60R15 88HXL	BSW
	185/65R15 88H	BSW
	185/65R15 92HXL	BSW
	195/50R15 82V	BSW
	195/55R15 85V	BSW
	195/60R15 88H	BSW
	195/60R15 88V	BSW
	195/65R15 91V	BSW
	195/65R15 95HXL	BSW
	205/60R15 91V	BSW
	205/65R15 94H	BSW
	205/65R15 94V	BSW
	205/70R15 96T	BSW
	215/65R15 96H	BSW
215/65R15 100HXL	BSW	
215/70R15 98T	BSW	
16	175/50R16 77V	BSW
	185/50R16 81V	BSW
	185/55R16 83V	BSW
	195/50R16 84V	BSW
	195/55R16 87V	BSW
	195/60R16 89H	BSW
	205/50ZR16 87W	BSW
	205/55R16 91V	BSW
	205/60R16 92V	BSW
	205/65R16 95H	BSW
	215/55ZR16 97WXL	BSW
	215/60R16 95V	BSW
	215/60R16 99HXL	BSW
	215/65R16 98H	BSW
	215/65R16 102HXL	BSW
	225/50ZR16 96WXL	BSW
	225/55ZR16 99WXL	BSW
	225/60R16 98H	BSW


# SPOR+RACE

**UTQG: 320 A A**



Four main asymmetric grooves design ensures anti-hydroplaning performance.

Continuous, circumference solid center rib ensures linear stability at speed and provides crisp steering response.



The sharp crosscutting groove and the sipe design improves anti-hydroplaning performance.



A	A
B	B
C	C
D	D
E	E
F	F
G	G

	69 dB
--	-------

1222/2009 - C1



# HIGH PERFORMANCE



Rim Diameter	Size Description	Sidewall	
15	195/45R15 78V	BSW	
	195/45R16 84VXL	BSW	
	205/45ZR16 87WXL	BSW	
16	205/55ZR16 94WXL	BSW	
	215/40ZR16 86WXL	BSW	
	215/45R16 90VXL	BSW	
	195/40ZR17 81WXL	BSW	
	195/45ZR17 85WXL	BSW	
17	205/40ZR17 84WXL	BSW	
	205/45ZR17 88WXL	BSW	
	205/50ZR17 93WXL	BSW	
	205/55ZR17 95WXL	BSW	
	215/40ZR17 87WXL	BSW	
	215/45ZR17 91WXL	BSW	
	215/50ZR17 95WXL	BSW	
	215/55ZR17 98WXL	BSW	
	225/45ZR17 94YXL	BSW	
	225/50ZR17 98YXL	BSW	
	225/55ZR17 101WXL	BSW	
	235/45ZR17 97WXL	BSW	
	235/50ZR17 100WXL	BSW	
	235/55ZR17 103WXL	BSW	
	245/40ZR17 95WXL	BSW	
	245/45ZR17 99WXL	BSW	
	18	215/35ZR18 84WXL	BSW
		215/40ZR18 89YXL	BSW
		215/45ZR18 93YXL	BSW
		215/55R18 99VXL	BSW
225/35ZR18 87YXL		BSW	
225/40ZR18 92YXL		BSW	
225/45ZR18 95YXL		BSW	
225/50ZR18 99WXL		BSW	
225/55R18 98V		BSW	
235/40ZR18 95YXL		BSW	
235/45ZR18 98WXL		BSW	
235/50ZR18 101YXL		BSW	
235/55ZR18 104YXL		BSW	
245/35ZR18 92YXL		BSW	
245/40ZR18 97YXL		BSW	
245/45ZR18 100YXL		BSW	
245/50ZR18 104WXL		BSW	
255/35ZR18 94YXL		BSW	
255/40ZR18 99YXL		BSW	
255/45ZR18 103YXL		BSW	
255/55ZR18 109YXL	BSW		
265/35ZR18 97YXL	BSW		

Rim Diameter	Size Description	Sidewall
19	225/30ZR19 84YXL	BSW
	225/35ZR19 88YXL	BSW
	225/40ZR19 93YXL	BSW
	225/45ZR19 96YXL	BSW
	225/55ZR19 103WXL	BSW
	235/35ZR19 91YXL	BSW
	235/40ZR19 96YXL	BSW
	235/45ZR19 99YXL	BSW
	235/50ZR19 103YXL	BSW
	235/55ZR19 105YXL	BSW
	245/35ZR19 93YXL	BSW
	245/40ZR19 98YXL	BSW
	245/45ZR19 102YXL	BSW
	245/55ZR19 107WXL	BSW
	255/30ZR19 91YXL	BSW
	255/35ZR19 96YXL	BSW
	255/40ZR19 100YXL	BSW
	255/45ZR19 104YXL	BSW
	255/50ZR19 107YXL	BSW
	255/55ZR19 111WXL	BSW
	265/30ZR19 93WXL	BSW
	265/50ZR19 110YXL	BSW
	275/30ZR19 96YXL	BSW
	275/35ZR19 100YXL	BSW
	275/40ZR19 105YXL	BSW
	275/45ZR19 108YXL	BSW
	275/55ZR19 111W	BSW
285/45ZR19 111YXL	BSW	
20	225/30ZR20 85WXL	BSW
	225/35ZR20 93WXL	BSW
	235/30ZR20 88YXL	BSW
	245/30ZR20 95YXL	BSW
	245/35ZR20 95YXL	BSW
	245/40ZR20 99YXL	BSW
	245/45ZR20 103YXL	BSW
	245/50ZR20 106YXL	BSW
	255/30ZR20 92YXL	BSW
	255/35ZR20 97YXL	BSW
	255/40ZR20 101YXL	BSW
	255/45ZR20 105YXL	BSW
	255/50ZR20 109YXL	BSW
	255/55ZR20 110WXL	BSW
	275/30ZR20 97YXL	BSW
275/35ZR20 102YXL	BSW	

# SPORT TERRA H/T

**UTQG: 500 A A**



The open shoulder grooves design enhances wet grip performance.

Four wide circumferential tread grooves deliver the ride stability. Improved grooves and bead profile design.



High-density sipes with special compound improves traction on dry and wet roads.

SPORT TERRA H/T is a professional tire for sport utility vehicles. The special tread compound provides maximum grip on wet and dry surfaces. At the same time, it provides high speed, comfort and security with superb driving performance.

● RIM: 16-18

● SPEED: H/V/HXL/VXL


● ASPECT RATIO: 55-70

● SECTION WIDTH: 215-285

# HIGHWAY TERRAIN



## EU LABELLING




Rim Diameter	Size Description	Sidewall
16	215/70R16 100H	BSW
	225/70R16 107HXL	BSW
	235/60R16 100H	BSW
	235/65R16 107HXL	BSW
	235/70R16 106H	BSW
	245/70R16 111HXL	BSW
	255/70R16 111H	BSW
	255/65R16 109H	BSW
	265/70R16 112H	BSW
	275/70R16 114H	BSW
17	215/60R17 100HXL	BSW
	215/65R17 99H	BSW
	225/60R17 99H	BSW
	225/65R17 102H	BSW
	235/60R17 106HXL	BSW
	235/65R17 108HXL	BSW
	245/65R17 111HXL	BSW
	245/70R17 110H	BSW
	255/60R17 110VXL	BSW
	255/65R17 110H	BSW
	265/65R17 112H	BSW
	265/70R17 115H	BSW
275/65R17 115H	BSW	
285/65R17 116H	BSW	
18	225/55R18 98H	BSW
	225/60R18 100V	BSW
	235/60R18 107VXL	BSW
	235/65R18 110HXL	BSW
	245/60R18 105H	BSW
	255/55R18 109VXL	BSW
	255/60R18 112VXL	BSW
	255/70R18 113H	BSW
	265/60R18 110H	BSW
	265/65R18 114H	BSW
275/65R18 116H	BSW	
285/60R18 120HXL	BSW	

# SPORT SUV

UTQG: 340 A A



Continuous center ribs improve stability of handling and straight performance at high speed.



The narrow groove outside increases the block stiffness and improves handling and steering stability during cornering.



The sipe design improves the ride performance while disperses noise level.

SPORT SUV is premium summer high performance tire with exceptional comfort. Specially designed tread profile enables exceptional high-speed capabilities, superb handling and cornering response on dry and wet road conditions. Modern tread design and special tread compound provides fuel economy as well as durability.

● RIM: 20-22

● SPEED: WXL/YXL


● ASPECT RATIO: 30-55

● SECTION WIDTH: 245-315

# SPORTY SUV




## EU LABELLING




Rim Diameter	Size Description	Sidewall
20	265/45ZR20 108YXL	BSW
	265/50ZR20 111WXL	BSW
	275/40ZR20 106YXL	BSW
	275/45ZR20 110YXL	BSW
	275/50ZR20 113YXL	BSW
	275/55ZR20 117WXL	BSW
	285/50ZR20 116WXL	BSW
	295/40ZR20 110YXL	BSW
	305/40ZR20 112YXL	BSW
	315/35ZR20 110YXL	BSW
21	245/35ZR21 96YXL	BSW
	275/30ZR21 98YXL	BSW
	275/40ZR21 107YXL	BSW
	275/45ZR21 110YXL	BSW
	295/35ZR21 107YXL	BSW
	295/40ZR21 111YXL	BSW
	315/35ZR21 111YXL	BSW
	315/40ZR21 115YXL	BSW
22	265/35ZR22 102YXL	BSW
	265/40ZR22 106YXL	BSW
	285/35ZR22 106YXL	BSW
	285/40ZR22 110YXL	BSW

# ECO TRANS


VAN



Solid shoulder block can improve the tire load ability and prevent uneven wear, ensure the tire endurance performance.



Prevented stress between blocks by applying square-shaped dimple where a sipe is turned, resulting in better durability



Application of 3-channel wide grooves reduce hydroplaning and increases performance and safety at high speed

ECO TRANS is a premium tyre for light commercials and vans, unique pattern design and compound gives the higher load carrying capacities, superior handling, durability and ride comfort.

● RIM: 14-17

● SPEED: R/T/Q


● ASPECT RATIO: 60-85

● SECTION WIDTH: 175-235

# COMMERCIAL VAN




## EU LABELLING



Rim Diameter	Size Description	Sidewall
14	175R14C 99/98R	BSW
	185R14C 102/100S	BSW
	195R14C 106/104S	BSW
15	195/70R15C 104/102S	BSW
	195R15C 106/104S	BSW
	205/70R15C 106/104S	BSW
	215/65R15C 104/102T	BSW
	215/70R15C 109/107S	BSW
	225/70R15C 112/110S	BSW
16	175/75R16C 101/99S	BSW
	185/75R16C 104/102S	BSW
	195/60R16C 99/97H	BSW
	195/65R16C 104/102T	BSW
	195/75R16C 107/105S	BSW
	195/75R16C 110/108R	BSW
	205/65R16C 107/105T	BSW
	205/75R16C 110/108S	BSW
	205/75R16C 113/111R	BSW
	215/60R16C 103/101T	BSW
	215/65R16C 109/107T	BSW
	215/75R16C 113/111S	BSW
	215/75R16C 116/114R	BSW
	225/65R16C 112/110T	BSW
	225/75R16C 121/120R	BSW
235/65R16C 115/113T	BSW	
235/65R16C 121/119R	BSW	
235/85R16C 120/116Q	BSW	
17	215/60R17C 109/107T	BSW



# ECO TERRA A/T

**UTQG: 560 A B**



Serrated snow patterns with fine sipes provide great grip under snow & ice conditions.

The wide open shoulder grooves enhance wet grip and provide excellent water & snow evacuation.



The wide tread enhance the traction under ice and snow conditions.

ECO TERRA A/T series has excellent performance in snow & ice conditions. The whole design offers efficient water drainage and enhances vehicle performance on both on & off roads. Aggressive blocks on sidewall increase off-road bite and prevent damage from sidewall cut and abrasion.

● RIM: 16-20

● SPEED: T/TXL/HXL

● ASPECT RATIO: 60-75


● SECTION WIDTH: 215-285



# ALL TERRAIN



## EU LABELLING




Rim Diameter	Size Description	Sidewall
16	P215/70R16 100T	BSW
	P225/70R16 103T	BSW
	P225/75R16 104T	BSW
	P235/70R16 106T	BSW
	P245/70R16 111TXL	BSW
	P255/70R16 111T	BSW
	P265/70R16 112T	BSW
	P275/70R16 114T	BSW
17	P225/60R17 99T	BSW
	P225/65R17 102T	BSW
	P235/65R17 104T	BSW
	P245/65R17 111TXL	BSW
	P245/70R17 110T	BSW
	P255/65R17 110T	BSW
	P265/65R17 112T	BSW
	P265/70R17 115T	BSW
18	P265/60R18 110T	BSW
	P285/60R18 116T	BSW
20	P265/50R20 111HXL	BSW
	P285/50R20 116HXL	BSW

# SPORT TERRA M/T

P.O.R



Three main zigzag grooves and aggressive pattern design provides outstanding traction.



The block tread design with multiple-sipes provides outstanding off-road traction and reduces tread damage on off-road condition.



Jointless Nylon band and strong structure design enhances the reliability and durability. Special tread compound and wide footprint delivers excellent braking performance.

SPORT TERRA M/T series is born for professional off-road conditions. Strong tyre structure brings reliability and durability. The robust design provides excellent traction performance on the various tough road conditions. Pretty shoulder design increases the entertainment of refitted vehicle.

- RIM: 15-18
- SPEED: Q
- ASPECT RATIO: 50-75
- SECTION WIDTH: 225-315

## MUD TERRAIN

Rim Diameter	Size Description	Sidewall
15	31X10.50R15LT 109Q	BSW
	33X12.50R15LT 108Q	BSW
16	LT225/75R16 115/112Q	BSW
	LT245/75R16 120/116Q	BSW
	LT265/75R16 123/120Q	BSW
	LT285/75R16 126/123Q	BSW
	LT305/70R16 124/121Q	BSW
	LT315/75R16 127/124Q	BSW
17	LT265/70R17 121/118Q	BSW
	LT285/70R17 121/118Q	BSW
	33X12.50R17LT 120Q	BSW
18	35X12.50R17LT 125Q	BSW
	33X12.50R18LT 118Q	BSW
	35X12.50R18LT 123Q	BSW

# UPCOMING WHEELS 2020



**TN24** DARKHYPERBLACK  
POLISHED



**TN25** MATT BRONZE



**TN25** MATT BRONZE  
POLISHED



**TN25** MATT GRAPHITE



**A Safer Way Forward  
-- Tomason**