

TRACMAX

WHEREVER THE ROAD GOES, THERE GOES TRACMAX



PRODUCT CATALOG 2025



BRAND INTRODUCTION

TRACMAX brand was founded in 2002, which originated from the demand of The German market. Its high-speed safety performance, fuel-saving and comfortable performance are deeply loved by consumers. It enjoys high popularity in more than 100 countries, and the cumulative sales volume in the European market is nearly 50 million.

Dedicating to create the world first class brand, Tracmax has successfully obtained China CCC, US DOT, EU E-mark, EU Regulation 117, Gulf Country GCC , Saudi Arabia SASO, Nigeria SONCAP, Brazil INMETRO, Uruguay LATU, and other product certifications.

"Wherever The Road Goes, There Goes Tracmax", with high quality, reasonable pricing and excellent service,we would like to be one of your best tyre suppliers and long term business partner.



Annual sales exceed 500 million dollars.




Full ranges of CAR、 SUV、 4×4、 and Light truck tyres, meet various needs of EU.




Smart factory:
*Industrial 4.0
*Total TRACMAX : 6,000,000 Pieces / Year









REVOLUTIONARY POINTS

- 

A well-dispersed silica is combined with polymer sloution of SBR and BR
- 

Minimal proportions of impurities
- 

Has properties aligned with HIGHEST tire lable ratings
- 

MAXIMUM ENERGY EFFICIENCY
- 

Better filler-polymer interactions
- 

REDUCED CARBON EMISSIONS
- 

Higher tensil strength
- 

LOW-CARBON DEVELOPMENT

SUMMER

X-PRIVIO TX2	PG.03
X-PRIVIO TX1	PG.05
X-PRIVIO TX3	PG.07
X-PRIVIO RS01	PG.11
X-PRIVIO RF19	PG.13

ELECTRIC

X-PRIVIO ET07	PG.17
---------------	-------

ALL SEASON

X-PRIVIO A/S TRAC SAVER	PG.21
X-PRIVIO A/S VAN SAVER	PG.25



SUV/4x4

X-PRIVIO H/T	PG.29
X-PRIVIO TX9	PG.31
X-PRIVIO AT01	PG.33
X-PRIVIO AT08	PG.35
X-PRIVIO M/T	PG.37

WINTER

X-PRIVIO S130	PG.41
ICE-PLUS S210	PG.43
ICE-PLUS S220	PG.45
X-PRIVIO S330	PG.47
X-PRIVIO S360	PG.49
X-PRIVIO S500	PG.53
X-PRIVIO S550	PG.57
X-PRIVIO VS450	PG.59
ICE-PLUS SR1	PG.61

SUMMER

X-PRIVIO TX2

X-PRIVIO TX1

X-PRIVIO TX3

X-PRIVIO RS01


X-PRIVIO RF19



X-PRIVILO TX2 UTQG: 400 A A




PERFORMANCE




ECONOMY PCR


X-PRIVILO TX2 is an Eco-Friendly tyre for passenger cars. The special compound ensures low rolling resistance, long life and good breaking performance. It contributes to fuel saving and the environment while securing safety.



Three main asymmetric grooves design ensures anti-hydroplaning performance.



Improve stability and straight-line performance at high speed.



Reduce noise level and improve wet grip.



RANGE:	12-16
SPEED RATE:	T/H/V
ASPECT RATIO:	50-80
SECTION WIDTH:	135-195

X-PRIVILO TX2

SUMMER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
12	145/70R12	69	T		C	C	70	B			608508
	145/80R12	73	T		C	C	70	B			607948
	155/70R12	73	T		C	C	70	B			607701
	155/80R12	77	T		C	C	70	B			613636
	165/70R12	77	T		C	C	70	B			613577
	175/70R12	81	T		C	C	70	B			807981
13	145/60R13	66	T		C	C	70	B			606949
	145/70R13	71	T		C	C	70	B			607384
	145/80R13	75	T		C	C	70	B			607400
	155/65R13	73	T		C	C	70	B			606910
	155/70R13	75	T		C	C	70	B			606536
	155/80R13	79	T		C	C	70	B			607995
	165/55R13	70	H		C	C	70	B			607639
	165/65R13	77	T		C	C	70	B			607442
	165/70R13	79	T		C	C	70	B			609579
	165/80R13	83	T		C	C	70	B			607347
	175/60R13	77	H		C	C	70	B			608577
	175/65R13	80	T		C	C	70	B			608899
14	175/70R13	82	T		C	C	70	B			607430
	185/70R13	86	T		C	C	70	B			606799
	155/65R14	75	T		C	C	70	B			607466
	165/60R14	75	H		C	C	70	B			606944
	165/65R14	79	T		C	C	70	B			607364
	165/70R14	81	T		C	C	70	B			607695
	165/70R14	85	T	XL	C	C	70	B			607808
	175/60R14	79	H		C	C	70	B			604634
	175/65R14	82	H		C	C	70	B			609344
	175/65R14	86	T	XL	C	C	70	B			609428
	175/70R14	84	T		C	C	70	B			608614
	175/70R14	88	T	XL	C	C	70	B			807983
	175/80R14	88	T		C	C	70	B			607951
	185/50R14	77	V		C	C	70	B			606950
	185/55R14	80	H		C	C	70	B			606919
	185/60R14	82	H		C	C	70	B			606601
	185/65R14	86	T		C	C	70	B			607434
	185/65R14	86	H		C	C	70	B			606575
15	185/70R14	88	T		C	C	70	B			607580
	195/60R14	86	H		C	C	70	B			607532
	195/65R14	89	H		C	C	70	B			607676
	195/70R14	91	T		C	C	70	B			607397
	135/70R15	70	T		C	C	70	B			607600
	145/65R15	72	T		C	C	70	B			608907
	155/60R15	74	T		C	C	70	B			609348
	165/60R15	81	T	XL	C	C	70	B			613255
	165/65R15	81	T		C	C	70	B			609336
	175/55R15	77	T		C	C	70	B			607368
	175/60R15	81	V		C	C	70	B			613223
	175/65R15	84	H		C	C	70	B			606532
	185/55R15	82	H		C	C	70	B			606869
	185/55R15	82	V		C	C	70	B			606895
	185/55R15	86	V	XL	C	C	70	B			607898
	185/60R15	84	H		C	C	70	B			604412
	185/60R15	88	H	XL	C	C	70	B			608894
	185/65R15	88	T		C	C	70	B			607378
16	185/65R15	88	H		C	C	70	B			608528
	185/65R15	92	T	XL	C	C	70	B			606880
	195/60R15	88	H		C	C	70	B			604816
	195/60R15	88	V		C	C	70	B			613328
	195/65R15	91	H		C	C	70	B			607712
	195/65R15	91	V		C	C	70	B			808004
	195/65R15	95	T	XL	C	C	70	B			607620
	175/50R16	77	V		C	C	70	B			607900
	175/60R16	86	H	XL	C	C	70	B			609621
	185/50R16	81	V		C	C	70	B			808007


RANGE:	12-16
SPEED RATE:	T/H/V
ASPECT RATIO:	50-80
SECTION WIDTH:	135-195

X-PRIVILO TX1 UTQG: 400 A A




COMFORT PCR


X-PRIVILO TX1 is developed for mid-class cars, provides ultimate quiet and comfortable driving performance with high-tech structure, special tread compound enables optimum performance in wet and dry road conditions.



Four main asymmetric grooves design ensures anti-hydroplaning performance.



Improve stability and straight-line performance at high speed.



Reduce noise level and improve the grip.



RANGE:	14-16
SPEED RATE:	T/H/V/W
ASPECT RATIO:	50-75
SECTION WIDTH:	195-225

X-PRIVILO TX1

SUMMER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
14	205/70R14	94	T		C	B	69	B			607795
	195/50R15	82	H		C	B	69	B			613117
	195/50R15	82	V		C	B	69	B			606899
	195/55R15	85	V		C	B	69	B			606864
	205/50R15	86	V		C	B	69	B			807991
15	205/55R15	88	V		C	B	69	B			807995
	205/60R15	91	V		C	B	69	B			606876
	205/65R15	94	H		C	B	69	B			613425
	205/65R15	94	V		C	B	69	B			613505
	205/70R15	96	T		C	B	69	B			606533
	205/75R15	97	T		C	B	69	B			613626
	215/65R15	96	H		C	B	69	B			607629
	225/60R15	96	V		C	B	69	B			808000
	195/50R16	84	H		C	B	69	B			607700
	195/50R16	84	V		C	B	69	B			608546
16	195/55R16	87	H		C	B	69	B			607383
	195/55R16	87	V		C	B	69	B			607422
	195/55R16	91	V	XL	C	B	69	A			604728
	195/60R16	89	H		C	B	69	B			613384
	205/50R16	87	W		C	B	69	B			606875
	205/50R16	91	W	XL	C	B	69	A			607955
	205/55R16	91	H		C	B	69	B			607975
	205/55R16	91	V		C	B	69	B			604631
	205/55R16	91	W		C	B	69	B			613428
	205/55R16	94	W	XL	C	B	69	A			607869
	205/60R16	92	V		C	B	69	B			606952
	205/60R16	96	V	XL	C	B	69	A			607375
	205/65R16	95	H		C	B	69	B			2210271
	215/55R16	97	V	XL	C	B	69	A			607538
	215/55R16	97	W	XL	C	B	69	A			606867
	215/60R16	95	H		C	B	69	B			607377
	215/60R16	95	V		C	B	69	B			608536
	215/60R16	99	V	XL	C	B	69	A			998990
	215/65R16	98	H		C	B	69	B			607414
	225/55R16	99	V	XL	C	B	69	A			613514
	225/55R16	99	W	XL	C	B	69	A			613502
	225/60R16	98	H		C	B	69	B			607457
	225/60R16	102	V	XL	C	B	69	A			607818

X-PRIVILO TX3 UTQG: 320 A A




PERFORMANCE




HIGH PERFORMANCE FORWARD SPEED


X-PRIVILO TX3 is dynamically designed, presents high speed, safety and driving pleasure. Perfect performance and handling control for speed addicts with special profile. Maximum grip in bends on wet and dry surfaces. Wide area of use from sport cars to luxury vehicles with high-tech structure and esthetic appearance.



Four main asymmetric grooves design ensures anti-hydroplaning performance.



Continuous, circumference solid center rib ensures linear stability at speed and provides crisp steering response.



The sharp crosscutting groove and the sipe design improves anti-hydroplaning performance.



RANGE:	15-20
SPEED RATE:	H/V/W/Y
ASPECT RATIO:	30-55
SECTION WIDTH:	165-285

X-PRIVILO TX3

SUMMER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	195/45R15	78	V		C	B	69	B			606893
	165/45R16	74	V	XL	C	B	69	B			2210277
	195/45R16	84	V	XL	C	B	69	A			607365
16	205/45ZR16	87	W	XL	C	B	69	A			607411
	205/55ZR16	94	W	XL	C	B	69	A			607593
	215/40ZR16	86	W	XL	C	B	69	A			607372
	215/45R16	86	H		C	B	69	B			607423
	215/45R16	90	V	XL	C	B	69	A			607740
	195/40ZR17	81	W	XL	C	B	69	A			607764
17	195/45ZR17	85	W	XL	C	B	69	A			607591
	205/40ZR17	84	W	XL	C	B	69	A			609360
	205/45ZR17	88	W	XL	C	B	69	A			606957
	205/50ZR17	93	W	XL	C	B	69	A			606906
	205/55ZR17	95	W	XL	C	B	69	A			607419
	215/40ZR17	87	W	XL	C	B	69	A			608542
	215/45ZR17	91	W	XL	C	B	69	A			607429
	215/50ZR17	95	W	XL	C	B	69	A			606914
	215/55ZR17	98	W	XL	C	B	69	A			606940
	225/45ZR17	94	W	XL	C	B	69	A			604690
	225/45ZR17	94	Y	XL	C	B	69	A			604690
	225/50ZR17	98	Y	XL	C	B	69	A			606535
	225/55ZR17	101	W	XL	C	B	69	A			607460
	235/45ZR17	97	W	XL	C	B	69	A			607596
	235/50ZR17	100	W	XL	C	B	69	A			607374
	235/55ZR17	103	W	XL	C	B	69	A			607436
	245/40ZR17	95	W	XL	C	B	69	A			607638
	245/45ZR17	99	W	XL	C	B	69	A			613468
18	205/40ZR18	86	Y	XL	C	B	69	A			999028
	215/35ZR18	84	W	XL	C	B	69	A			606753
	215/40ZR18	89	Y	XL	C	B	69	A			607843
	215/45ZR18	93	Y		C	B	69	A			607366
	215/50ZR18	92	W		C	B	69	B			606928
	215/55R18	99	V	XL	C	B	69	A			607468
	225/35ZR18	87	Y	XL	C	B	69	A			607433
	225/40ZR18	92	Y	XL	C	B	69	A			604831
	225/45ZR18	95	Y	XL	C	B	69	A			607373
	225/50ZR18	99	W	XL	C	B	69	A			606885
	225/55R18	98	H		C	B	69	B			613732
	225/55R18	98	V		C	B	69	B			609328
	235/40ZR18	95	Y	XL	C	B	69	A			607451
	235/45ZR18	98	W	XL	C	B	69	A			607566
	235/50ZR18	97	W		C	B	69	B			607983
	235/50ZR18	101	Y	XL	C	B	69	A			607488
	235/55ZR18	104	W	XL	C	B	69	A			607344
	235/55ZR18	104	Y	XL	C	B	69	A			607747
	245/35ZR18	92	Y	XL	C	B	69	A			607536
	245/40ZR18	97	Y	XL	C	B	69	A			607370
	245/45ZR18	100	Y	XL	C	B	69	A			607381
19	245/50ZR18	104	W	XL	C	B	69	A			606990
	255/35ZR18	94	W	XL	C	B	69	A			613517
	255/35ZR18	94	Y	XL	C	B	69	A			613465
	255/40ZR18	99	Y	XL	C	B	69	A			607917
	255/45ZR18	103	Y	XL	C	B	69	A			613359
	255/55R18	109	V	XL	C	B	69	A			613589
	255/55ZR18	109	Y	XL	C	B	69	A			606959
	265/35ZR18	97	Y	XL	C	B	69	A			606459
	*275/35ZR18	95	Y		C	B	71	B			
	*275/40ZR18	103	Y	XL	C	B	71	B			
	*275/45ZR18	103	Y		C	B	71	B			
	*285/35ZR18	97	Y		C	B	72	B			
	205/55ZR19	97	W	XL	C	B	69	A			607567
	225/30ZR19	84	Y	XL	C	B	69	A			607922
	225/35ZR19	88	Y	XL	C	B	69	A			607575
20	225/40ZR19	93	Y	XL	C	B	69	A			607585
	225/45ZR19	96	Y	XL	C	B	69	A			608610
	225/50ZR19	100	W	XL	C	B	69	A			2210280
	225/55ZR19	103	W	XL	C	B	69	A			607417
	235/35ZR19	91	Y	XL	C	B	69	A			607382
21	235/40ZR19	96	Y	XL	C	B	69	A			613211
	235/45ZR19	99	Y	XL	C	B	69	A			609354

X-PRIVILE TX3

SUMMER


Rim	Size	LI	SR	XL					M+S	3PMSF	EPREL Code
19	235/50ZR19	103	Y	XL	C	B	69	A			607473
	235/55ZR19	105	Y	XL	C	B	69	A			613243
	245/35ZR19	93	Y	XL	C	B	69	A			608533
	245/40ZR19	98	Y	XL	C	B	69	A			608890
	245/45ZR19	102	Y		C	B	69	A			607464
	245/50ZR19	105	Y	XL	C	B	69	A			2186724
	245/55ZR19	107	W	XL	C	B	69	A			607453
	255/30ZR19	91	Y	XL	C	B	69	A			609450
	255/35ZR19	96	Y	XL	C	B	69	A			607391
	255/40ZR19	100	Y	XL	C	B	69	A			608660
	255/45ZR19	104	Y	XL	C	B	69	A			607363
	255/50ZR19	107	Y	XL	C	B	69	A			607492
	255/55ZR19	111	W	XL	C	B	69	A			606723
	265/30ZR19	93	W	XL	C	B	69	A			607564
	*265/35ZR19	98	Y	XL	C	B	69	A			2210288
	265/50ZR19	110	Y	XL	C	B	69	A			607857
	*265/55ZR19	113	Y	XL	C	B	69	A			2205908
	275/30ZR19	96	Y	XL	C	B	71	B			613388
	275/35ZR19	100	Y	XL	C	B	71	B			607447
	275/40ZR19	105	Y	XL	C	B	71	B			608512
	275/45ZR19	108	Y	XL	C	B	71	B			607636
	275/55ZR19	111	W		C	B	71	B			613562
	*285/30ZR19	98	Y	XL	C	B	72	A			
	*285/35ZR19	103	Y	XL	C	B	72	A			
	285/45ZR19	111	Y	XL	C	B	72	A			606991
20	195/50R20	93	V	XL	C	B	69	A			999033
	195/55R20	95	H	XL	C	B	69	A			999034
	215/45ZR20	95	W	XL	C	B	69	A			999035
	225/30ZR20	85	W	XL	C	B	69	A			613488
	225/35ZR20	93	W	XL	C	B	69	A			607723
	*225/40ZR20	94	Y	XL	C	B	69	A			
	235/30ZR20	88	Y	XL	C	B	69	A			608618
	*235/35ZR20	92	Y	XL	C	B	69	A			
	235/45ZR20	100	Y	XL	C	B	69	A			999036
	235/50ZR20	104	W	XL	C	B	69	A			2205904
	235/55ZR20	105	W	XL	C	B	69	A			2186723
	245/30ZR20	95	Y	XL	C	B	69	A			607982
	245/35ZR20	95	Y	XL	C	B	69	A			613333
	245/40ZR20	99	Y	XL	C	B	69	A			606756
	245/45ZR20	103	Y	XL	C	B	69	A			607892
	245/50ZR20	105	Y	XL	C	B	69	A			607491
	255/30ZR20	92	Y	XL	C	B	69	A			613226
	255/35ZR20	97	Y	XL	C	B	69	A			613201
	255/40ZR20	101	Y	XL	C	B	69	A			607632
	255/45ZR20	105	Y	XL	C	B	69	A			606962
	255/50ZR20	109	Y	XL	C	B	69	A			608539
	255/55ZR20	110	W	XL	C	B	69	A			608889
	*265/35ZR20	99	Y	XL	C	B	69	A			
	265/40ZR20	104	Y	XL	C	B	69	A			2210292
	275/30ZR20	97	Y	XL	C	B	71	B			606873
	275/35ZR20	102	Y	XL	C	B	71	B			608657
	*285/30ZR20	99	Y	XL	C	B	71	A			
	285/35ZR20	104	Y	XL	C	B	72	A			2232467



X-PRIVILO RS01 UTQG: 340 A A



PERFORMANCE



SPORTY SUV

X-PRIVILO RS01 is designed as a premium summer pattern with high performance capability. The tread profile enables exceptional high-speed, superb handling and cornering response on dry and wet surfaces. Modern tread design with special compound provides fuel economy as well as durability.

- Continuous center ribs can improve stability of handling and straight performance at high speed.
- The sipe design can disperse the noise to improve the ride performance.
- One narrow groove on outside can increase the block stiffness and improve handling and steering stability during cornering.




RANGE:	20-23
SPEED RATE:	W/Y
ASPECT RATIO:	30-55
SECTION WIDTH:	225-325

X-PRIVILO RS01

SUMMER


Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
20	265/45ZR20	108	Y	XL	C	C	72	B	✓		607393
	265/50ZR20	111	W	XL	C	C	72	B	✓		607515
	*265/55ZR20	113	W	XL	C	C	72	B	✓		
	275/40ZR20	106	Y	XL	C	C	72	B	✓		608896
	275/45ZR20	110	Y	XL	C	C	72	B	✓		607428
	275/50ZR20	113	W	XL	C	C	72	B	✓		607959
	275/50ZR20	113	Y	XL	C	C	72	B	✓		613571
	275/55ZR20	117	W	XL	C	C	72	B	✓		613600
	285/50ZR20	116	W	XL	C	C	72	A	✓		607599
	295/40ZR20	110	Y	XL	C	C	72	A	✓		985648
	305/40ZR20	112	Y	XL	C	C	72	A	✓		607545
	315/35ZR20	110	Y	XL	C	C	72	A	✓		609474
	*225/45ZR21	95	Y	XL	C	C	71	B	✓		
	*235/45ZR21	101	Y	XL	C	C	71	B	✓		
	*235/50ZR21	101	Y	XL	C	C	71	B	✓		
21	245/35ZR21	96	Y	XL	C	C	71	B	✓		607561
	245/40ZR21	100	Y	XL	C	C	71	B	✓		999037
	*255/35ZR21	98	Y	XL	C	C	72	B	✓		
	255/40ZR21	102	Y	XL	C	C	72	B	✓		999108
	*255/45ZR21	106	Y	XL	C	C	72	B	✓		
	*265/35ZR21	101	Y	XL	C	C	72	B	✓		
	265/40ZR21	105	Y	XL	C	C	72	B	✓		999112
	265/45ZR21	108	Y	XL	C	C	72	B	✓		999114
	275/30ZR21	98	Y	XL	C	C	72	B	✓		613144
	275/35ZR21	103	Y	XL	C	C	72	B	✓		999152
	275/40ZR21	107	Y	XL	C	C	72	B	✓		607984
	275/45ZR21	110	W	XL	C	C	72	B	✓		607761
	275/45ZR21	110	Y	XL	C	C	72	B	✓		607761
	*275/50ZR21	113	Y	XL	C	C	72	B	✓		
	285/35ZR21	105	Y	XL	C	C	72	A	✓		2210267
22	285/40ZR21	109	Y	XL	C	C	72	A	✓		999144
	285/45ZR21	113	Y	XL	C	C	72	A	✓		999150
	295/35ZR21	107	Y	XL	C	C	72	A	✓		607813
	295/40ZR21	111	Y	XL	C	C	72	A	✓		607743
	*315/30ZR21	105	Y	XL	C	C	72	A	✓		
	315/35ZR21	111	Y	XL	C	C	72	A	✓		607459
	315/40ZR21	115	Y	XL	C	C	72	A	✓		607978
	265/35ZR22	102	Y	XL	C	C	72	B	✓		607449
	265/40ZR22	106	Y	XL	C	C	72	B	✓		607435
	*265/50ZR22	112	Y	XL	C	C	72	B	✓		
	*275/35ZR22	104	Y	XL	C	C	72	B	✓		
	275/40ZR22	108	Y	XL	C	C	72	B	✓		999278
	*275/50ZR22	115	Y	XL	C	C	72	B	✓		2234373
	285/35ZR22	106	Y	XL	C	C	72	A	✓		607876
	285/40ZR22	110	Y	XL	C	C	72	A	✓		607681
23	285/45ZR22	114	Y	XL	C	C	72	A	✓		999326
	*315/30ZR22	107	Y	XL	C	C	72	A	✓		
	315/35ZR22	111	Y	XL	C	C	72	A	✓		2234379
	325/40ZR22	114	Y		C	C	73	B	✓		2234387
	285/35ZR23	107	Y	XL	C	C	72	A	✓		
	285/40ZR23	111	Y	XL	C	C	72	A	✓		2196855
	295/35ZR23	108	Y	XL	C	C	72	A	✓		2196856
	305/35ZR23	111	Y	XL	C	C	72	A	✓		
	325/35ZR23	115	Y	XL	C	C	73	B	✓		2196857

X-PRIVILO RF19




VAN TYRE


X-PRIVILO RF19 is a premium pattern for light trucks and commercial vans, unique pattern design and compound provides a higher load carrying capacity, superior handling, durability and ride comfort.



Solid shoulder block improves tyre load ability, prevents uneven wear, and ensure the tyre endurance performance.



Prevented stress between blocks by applying square-shaped dimples where a sipe is turned, resulting in better durability.



Application of 3-channel wide grooves reduces hydroplaning and increases performance and safety at high speed.



RANGE:	14-17
SPEED RATE:	Q/R/S/T/H
ASPECT RATIO:	55-85
SECTION WIDTH:	175-235

X-PRIVILO RF19

SUMMER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
14	175R14C	99/98	R		C	C	71	B			607594
	185R14C	102/100	S		C	C	71	B			613427
	195R14C	106/104	S		C	C	71	B			608597
15	*185/65R15C	97/95	S		C	C	71	B			
	195/70R15C	104/102	S		C	C	71	B			607562
	195R15C	106/104	S		C	C	71	B			613608
	205/70R15C	106/104	S		C	C	71	B			606704
	215/65R15C	104/102	T		C	C	71	B			608604
	215/70R15C	109/107	S		C	C	71	B			608902
	225/70R15C	112/110	S		C	C	71	B			606924
16	175/75R16C	101/99	S		C	C	71	B			607956
	185/75R16C	104/102	S		C	C	71	B			606537
	195/60R16C	99/97	H		C	C	71	B			607455
	195/65R16C	104/102	T		C	C	71	B			613220
	195/75R16C	107/105	S		C	C	71	B			607472
	195/75R16C	110/108	R		C	C	71	B			613370
	205/65R16C	107/105	T		C	C	71	B			607484
	205/75R16C	110/108	S		C	C	71	B			607642
	205/75R16C	113/111	R		C	C	71	B			608568
	215/60R16C	103/101	T		C	C	71	B			613508
	215/65R16C	109/107	T		C	C	71	B			607476
	*215/70R16C	108/106	T		C	C	71	B			
	215/75R16C	113/111	S		C	C	71	B			607685
	215/75R16C	116/114	R		C	C	71	B			607371
17	225/65R16C	112/110	T		C	C	71	B			608520
	225/75R16C	121/120	R		C	C	71	B			607335
	235/65R16C	115/113	T		C	C	71	B			608892
	235/65R16C	121/119	R		C	C	71	B			606688
	235/85R16C	120/116	Q		C	C	71	B			613159
	215/60R17C	109/107	T		C	C	71	B			606915
	225/55R17C	109/107	H		C	C	71	B			999339

ELECTRIC


X-PRIVILE ET07



X-PRIVILO ET07



PERFORMANCE



HIGH PERFORMANCE ELECTRIC VEHICLE TIRES

The X-PRIVILO ET07 is designed for high-end and electrified vehicle. It delivers optimal traction / braking performance, quiet driving, and ultralow energy consumption.

Optimised groove position
Better water evacuation, improved wet grip.

Efficient bottom roll resistance rubber formula for tire shoulders
reduces energy consumption and increases range.

Wider tread blocks
More torque support, EV dedicated tyre.




RANGE:	18-22
SPEED RATE:	Y
ASPECT RATIO:	35-50
SECTION WIDTH:	235-285

X-PRIVILO ET07

ELECTRIC

Rim	Size	LI	SR	XL					M+S	3PMSF	EPREL Code
18	235/45ZR18	98	Y	XL							
	235/40ZR19	96	Y	XL							
19	*235/50ZR19	103	Y	XL							
	245/45ZR19	102	Y	XL							
	255/45ZR19	104	Y	XL							
20	*235/50ZR20	104	Y	XL							
	255/50ZR20	109	Y	XL							
	*255/35ZR21	98	Y	XL							
	*255/45ZR21	103	Y	XL							
21	265/45ZR21	108	Y	XL							
	*275/35ZR21	103	Y	XL							
	*285/45ZR21	113	Y	XL							
22	*265/40ZR22	106	Y	XL							
	*285/40ZR22	110	Y	XL							




ALL SEASON

X-PRIVILE A/S TRAC SAVER

X-PRIVILE A/S VAN SAVER

X-PRIVILO A/S TRAC SAVER



ONE TYRE ACROSS ALL SEASONS

With adaptive all-season compound , A/S TRAC SAVER tyres provide impressive grip on snowy and wet winter roads. Optimized sidewall geometry and optimal pattern depth leads to a significant reduction of rolling resistance and fuel consumption - without compromising on safety.

2 wide tread grooves with fine sipes enhance steering and controlling ability.

Serrated snow patterns with fine sipes provide great grip under snow & ice conditions.

The special tread compound remains flexible to ensure the grip under All Season Trac Saver.

3PMSF



RANGE:	12-21
SPEED RATE:	T/H/V/W/Y
ASPECT RATIO:	35-80
SECTION WIDTH:	145-275

X-PRIVILO A/S TRAC SAVER

ALL SEASON

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
12	155/70R12	73	T		D	C	71	B	✓	✓	807806
	165/70R12	77	T		D	C	71	B	✓	✓	807807
	175/70R12	80	T		D	C	71	B	✓	✓	807808
13	145/70R13	71	T		D	C	71	B	✓	✓	606765
	145/80R13	79	T	XL	D	C	71	B	✓	✓	606761
	155/65R13	73	T		D	C	71	B	✓	✓	607582
	155/70R13	75	T		D	C	71	B	✓	✓	613470
	155/80R13	79	T		D	C	71	B	✓	✓	616995
	165/70R13	79	T		D	C	71	B	✓	✓	607380
	165/70R13	83	T	XL	D	C	71	B	✓	✓	607607
	175/65R13	80	T		D	C	71	B	✓	✓	607933
	175/70R13	82	T		D	C	71	B	✓	✓	607731
14	185/70R13	86	T		D	C	71	B	✓	✓	807813
	155/65R14	75	T		D	C	71	B	✓	✓	607471
	165/60R14	79	H	XL	D	C	71	B	✓	✓	606784
	165/65R14	79	T		D	C	71	B	✓	✓	613487
	165/70R14	81	T		D	C	71	B	✓	✓	608914
	165/70R14	85	T	XL	D	C	71	B	✓	✓	607337
	175/65R14	82	T		D	C	71	B	✓	✓	606529
	175/65R14	86	T	XL	D	C	71	B	✓	✓	608553
	175/70R14	84	T		D	C	71	B	✓	✓	607399
	175/70R14	88	T	XL	D	C	71	B	✓	✓	607350
	185/55R14	80	H		D	C	71	B	✓	✓	607651
	185/60R14	82	H		D	C	71	B	✓	✓	613507
	185/65R14	86	H		D	C	71	B	✓	✓	613203
	185/70R14	88	T		D	C	71	B	✓	✓	607446
	195/65R14	89	H		C	C	72	B	✓	✓	807816
15	195/70R14	91	T		C	C	72	B	✓	✓	607848
	205/70R14	95	T		C	B	72	B	✓	✓	807820
	155/60R15	74	T		C	C	71	B	✓	✓	2169677
	165/60R15	81	H	XL	C	C	71	B	✓	✓	2095938
	165/65R15	81	H		D	C	71	B	✓	✓	606941
	175/55R15	77	T		D	C	71	B	✓	✓	2186725
	175/60R15	85	H	XL	D	C	71	B	✓	✓	2067621
	175/65R15	84	H		D	C	71	B	✓	✓	609321
	185/55R15	82	H		D	C	71	B	✓	✓	607486
	185/60R15	84	H		D	C	71	B	✓	✓	607403
	185/60R15	88	H	XL	D	C	71	B	✓	✓	606960
	185/65R15	88	H		D	C	71	B	✓	✓	606790
	185/65R15	92	H	XL	C	C	71	B	✓	✓	608511
	195/50R15	82	V		D	C	72	B	✓	✓	613345
	195/55R15	85	V		D	C	72	B	✓	✓	607589
16	195/60R15	88	V		D	C	72	B	✓	✓	613365
	195/65R15	91	H		C	C	72	B	✓	✓	606874
	195/65R15	95	H	XL	C	C	72	B	✓	✓	607369
	205/65R15	94	V		C	B	72	B	✓	✓	607803
	215/65R15	96	H		C	B	72	B	✓	✓	608516
	175/60R16	86	H	XL	D	C	71	B	✓	✓	2169680
	185/50R16	81	V		D	C	71	B	✓	✓	2171639
	185/55R16	87	V	XL	D	C	71	B	✓	✓	2171667
	195/45R16	84	V	XL	D	C	72	B	✓	✓	613483
	195/50R16	88	V	XL	D	C	72	B	✓	✓	606992
	195/55R16	87	V		D	C	72	B	✓	✓	607501
	195/55R16	91	V	XL	C	C	72	B	✓	✓	607425
	195/60R16	89	V		D	C	72	B	✓	✓	607421
	205/45ZR16	87	W	XL	D	B	72	B	✓	✓	606775
	205/50ZR16	91	W	XL	C	B	72	B	✓	✓	607612
17	205/55R16	91	H		C	B	72	B	✓	✓	607928
	205/55R16	91	V		C	B	72	B	✓	✓	604710
	205/55R16	94	V	XL	C	B	72	B	✓	✓	608643
	205/60R16	92	H		C	B	72	B	✓	✓	607873
	205/60R16	96	V	XL	C	B	72	B	✓	✓	607388
	*205/65R16	99	H	XL	C	B	72	B	✓	✓	

X-PRIVLO A/S TRAC SAVER

ALL SEASON

Rim	Size	LI	SR	XL					M+S	3PMSF	EPREL Code
16	215/45R16	90	V	XL	D	B	72	B	✓	✓	606886
	215/55ZR16	97	W	XL	C	B	72	B	✓	✓	607407
	215/60R16	99	V	XL	C	B	72	B	✓	✓	613239
	215/65R16	98	V		C	B	72	B	✓	✓	608524
	215/70R16	100	H		C	B	72	B	✓	✓	607974
	225/55ZR16	99	W	XL	C	B	72	B	✓	✓	607657
	225/60R16	102	V	XL	C	B	72	B	✓	✓	607804
	235/60R16	100	V		C	B	72	B	✓	✓	606971
17	175/65R17	87	H		D	C	71	B	✓	✓	1751965
	205/40ZR17	84	W	XL	D	B	72	B	✓	✓	608509
	205/45ZR17	88	W	XL	D	B	72	B	✓	✓	613479
	205/50ZR17	93	W	XL	C	B	72	B	✓	✓	613306
	205/55ZR17	95	W	XL	C	B	72	B	✓	✓	613316
	215/40ZR17	87	W	XL	D	B	72	B	✓	✓	606963
	215/45ZR17	91	W	XL	C	B	72	B	✓	✓	606904
	215/50ZR17	95	W	XL	C	B	72	B	✓	✓	613222
	215/55ZR17	98	W	XL	C	B	72	B	✓	✓	609417
	215/60R17	100	V	XL	C	B	72	B	✓	✓	606746
	215/65R17	99	V		C	B	72	B	✓	✓	607401
	225/45ZR17	91	W		C	B	72	B	✓	✓	608650
	225/45ZR17	94	W	XL	C	B	72	B	✓	✓	606736
	225/45ZR17	94	Y	XL	C	B	72	B	✓	✓	607396
	225/50ZR17	98	W	XL	C	B	72	B	✓	✓	607499
	225/50ZR17	98	Y	XL	C	B	72	B	✓	✓	608549
	225/55ZR17	101	W	XL	C	B	72	B	✓	✓	613302
	225/60R17	103	V	XL	C	B	72	B	✓	✓	607416
	225/65R17	106	V	XL	C	B	72	B	✓	✓	607619
	235/45ZR17	97	W	XL	C	B	72	B	✓	✓	607410
	235/55ZR17	103	W	XL	C	B	72	B	✓	✓	613252
	235/60R17	106	V	XL	C	B	72	B	✓	✓	2186727
	235/65ZR17	108	W	XL	C	B	72	B	✓	✓	607615
	245/45ZR17	99	W	XL	C	B	72	B	✓	✓	607968
18	*195/60R18	96	H	XL	C	C	72	B	✓	✓	
	*205/40ZR18	86	Y	XL	C	C	72	B	✓	✓	
	215/40ZR18	89	Y	XL	C	C	72	B	✓	✓	2169681
	215/45R18	93	V	XL	C	C	72	B	✓	✓	2171680
	215/50ZR18	92	W		C	B	72	B	✓	✓	607405
	215/55R18	99	V	XL	C	B	72	B	✓	✓	613473
	225/40ZR18	92	W	XL	C	B	72	B	✓	✓	1371668
	225/40ZR18	92	Y	XL	C	B	72	B	✓	✓	613248
	225/45ZR18	95	W	XL	C	B	72	B	✓	✓	607443
	225/50ZR18	99	W	XL	C	B	72	B	✓	✓	1371668
	225/55R18	98	V		C	B	72	B	✓	✓	613379
	225/60R18	104	V	XL	C	B	72	B	✓	✓	2171689
	235/40ZR18	95	Y	XL	C	B	72	B	✓	✓	2169683
	235/45ZR18	98	W	XL	C	B	72	B	✓	✓	613524
	235/45ZR18	98	Y	XL	C	B	72	B	✓	✓	606917
	235/50ZR18	101	W	XL	C	B	72	B	✓	✓	606871
	235/55R18	104	V	XL	C	B	72	B	✓	✓	613480
	235/60ZR18	107	W	XL	C	B	72	B	✓	✓	606956
	245/40ZR18	97	W	XL	C	B	72	B	✓	✓	613673
	245/40ZR18	97	Y	XL	C	B	72	B	✓	✓	607461
	245/45ZR18	100	W	XL	C	B	72	B	✓	✓	608850
	245/45ZR18	100	Y	XL	C	B	72	B	✓	✓	606927
	245/50ZR18	104	Y	XL	C	B	72	B	✓	✓	1371672
	255/35ZR18	94	Y	XL	C	B	72	B	✓	✓	2217601
	255/40ZR18	99	Y	XL	C	B	72	B	✓	✓	1371678
	255/45ZR18	103	Y	XL	C	B	72	B	✓	✓	2186729
	255/55ZR18	109	W	XL	C	B	72	B	✓	✓	2205909
19	205/55ZR19	97	W	XL	C	B	72	B	✓	✓	607961
	*215/50R19	93	T		C	B	72	B	✓	✓	
	225/35ZR19	88	W	XL	D	B	72	B	✓	✓	613559

X-PRIVLO A/S TRAC SAVER

ALL SEASON

Rim	Size	LI	SR	XL					M+S	3PMSF	EPREL Code
19	225/35ZR19	88	Y	XL	D	B	72	B	✓	✓	607609
	225/40ZR19	93	W	XL	C	B	72	B	✓	✓	613205
	225/40ZR19	93	Y	XL	C	B	72	B	✓	✓	607746
	225/45ZR19	96	Y	XL	C	B	72	B	✓	✓	613207
	225/55ZR19	99	W		C	B	72	B	✓	✓	613452
	235/35ZR19	91	Y	XL	C	B	72	B	✓	✓	607994
	235/40ZR19	96	Y	XL	C	B	72	B	✓	✓	1371669
	235/45ZR19	99	Y	XL	C	B	72	B	✓	✓	1371670
	235/50ZR19	103	W	XL	C	B	72	B	✓	✓	1371671
	235/55ZR19	105	W	XL	C	B	72	B	✓	✓	607623
	245/35ZR19	93	Y	XL	C	B	72	B	✓	✓	2210295
	245/40ZR19	98	W	XL	C	B	72	B	✓	✓	613462
	245/40ZR19	98	Y	XL	C	B	72	B	✓	✓	607665
	245/45ZR19	102	W	XL	C	B	72	B	✓	✓	613686
	245/45ZR19	102	Y	XL	C	B	72	B	✓	✓	613496
	245/50ZR19	105	W	XL	C	B	72	B	✓	✓	2186728
20	*255/30ZR19	91	Y	XL	C	B	72	B	✓	✓	
	255/35ZR19	96	Y	XL	C	B	72	B	✓	✓	606448
	255/40ZR19	100	Y	XL	C	B	72	B	✓	✓	607624
	255/45ZR19	104	Y	XL	C	B	72	B	✓	✓	2171703
	255/50ZR19	107	Y	XL	C	B	72	B	✓	✓	2186730
	255/55ZR19	111	W	XL	C	B	72	B	✓	✓	2210299
	*275/35ZR19	100	Y	XL	C	B	72	B	✓	✓	
	195/50R20	93	H	XL	C	C	72	B	✓	✓	807822
	195/55R20	95	H	XL	C	C	72	B	✓	✓	607392
	*235/35ZR20	92	Y	XL	C	C	72	B	✓	✓	2171697
	*235/45ZR20	100	W	XL	C	C	72	B	✓	✓	
	235/50ZR20	104	W	XL	C	C	72	B	✓	✓	2217600
	*245/35ZR20	95	W	XL	C	B	72	B	✓	✓	
	*245/40ZR20	99	W	XL	C	B	72	B	✓	✓	
	*245/45R20	103	V	XL	C	B	72	B	✓	✓	
	245/45ZR20	103	Y	XL	C	B	72	B	✓	✓	1345087
21	255/35ZR20	97	Y	XL	C	B	72	B	✓	✓	
	255/40ZR20	101	Y	XL	C	B	72	B	✓	✓	1345088
	255/45ZR20	105	W	XL	C	B	72	B	✓	✓	1371673
	*255/50ZR20	109	W	XL	C	B	72	B	✓	✓	
	*265/45ZR20	108	Y	XL	C	C	72	B	✓	✓	
	275/40ZR20	106	Y	XL	C	B	72	B	✓	✓	1371674
	275/45ZR20	110	Y	XL	C	C	72	B	✓	✓	2186731

X-PRIVILO A/S VAN SAVER




PERFORMANCE




ONE TYRE ACROSS ALL SEASONS


A/S VAN SAVER is developed for light and medium-duty vans, trucks and pickups, as well as crossover and sporty utility vehicles. With optimized wet braking and aquaplaning performance, VAN SAVER improves handling from dry to snowy roads.



Three main grooves of the tread design provides outstanding drainage ability.



Excellent handling performance due to ultimate tread design with central groove and brand new compound.



Solid shoulder design for better mileage.



3PMSF



RANGE:	14-17
SPEED RATE:	R/S/T/H
ASPECT RATIO:	55-75
SECTION WIDTH:	175-235

X-PRIVILO A/S VAN SAVER

ALL SEASON

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
14	175/65R14C	990/88	T		D	B	72	B	✓	✓	613434
	175/70R14C	95/93	T		D	B	72	B	✓	✓	607394
	*185/65R15C	97/95	S		D	B	72	B	✓	✓	
15	195/70R15C	104/102	S		D	B	72	B	✓	✓	609439
	205/70R15C	106/104	S		D	B	72	B	✓	✓	607772
	*215/65R15C	104/102	T		C	B	72	B	✓	✓	
	215/70R15C	109/107	S		C	B	72	B	✓	✓	613338
	225/70R15C	112/110	S		C	B	72	B	✓	✓	606891
	185/75R16C	104/102	S		D	B	72	B	✓	✓	607648
16	195/60R16C	99/97	H		D	B	72	B	✓	✓	607673
	195/65R16C	104/102	S		D	B	72	B	✓	✓	606623
	195/75R16C	107/105	S		D	B	72	B	✓	✓	613310
	205/65R16C	107/105	T		D	B	72	B	✓	✓	608633
	205/75R16C	113/111	S		C	B	72	B	✓	✓	607409
	215/60R16C	103/101	T		D	B	72	B	✓	✓	607850
	215/65R16C	109/107	T		C	B	72	B	✓	✓	606868
	215/75R16C	113/111	S		C	B	72	B	✓	✓	607907
	225/65R16C	112/110	S		C	B	72	B	✓	✓	609458
17	225/75R16C	121/120	R		C	B	72	B	✓	✓	606954
	235/65R16C	115/113	S		C	B	72	B	✓	✓	607603
	235/65R16C	121/119	R		C	B	72	B	✓	✓	607463
	215/60R17C	109/107	T		C	B	72	B	✓	✓	607703
	225/55R17C	109/107	H		C	B	72	B	✓	✓	1002113

SUV / 4x4

X-PRIVILO H/T

X-PRIVILO TX9

X-PRIVILO AT01

X-PRIVILO AT08

X-PRIVILO M/T



X-PRIVILO H/T UTQG: 500 A A




PERFORMANCE




HIGHWAY TERRAIN

X-PRIVILO H/T is a professional pattern designed for SUV , which provides excellent handling, comfort and serurity on highway/paved road.



The reinforced shoulder design ensures great handling and even wearing performance.



Four wide circumferential tread grooves deliver the ride stability. Improved grooves and bead profile design.



High-density sipes with special compound improve traction on dry and wet roads.



RANGE:	16-18
SPEED RATE:	H/V
ASPECT RATIO:	55-70
SECTION WIDTH:	215-285

X-PRIVILO H/T

SUV/4x4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
16	215/70R16	100	H		C	C	70	B	✓		607866
	225/70R16	107	H	XL	C	C	70	B	✓		607750
	235/60R16	100	H		C	C	70	B	✓		607543
	235/65R16	107	H	XL	C	C	70	B	✓		613494
	235/70R16	106	H		C	C	70	B	✓		608514
	245/70R16	111	H	XL	C	C	70	B	✓		607757
	255/65R16	109	H		C	C	71	B	✓		607507
	255/70R16	111	H		C	C	71	B	✓		607782
	265/70R16	112	H		C	C	71	B	✓		607666
	275/70R16	114	H		C	C	71	B	✓		613653
17	215/60R17	100	H	XL	C	C	70	B	✓		607479
	215/65R17	99	H		C	C	70	B	✓		607853
	215/65R17	103	V	XL	C	C	70	B	✓		
	225/60R17	99	H		C	C	70	B	✓		609312
	225/65R17	102	H		C	C	70	B	✓		606908
	235/60R17	106	H	XL	C	C	70	B	✓		607395
	235/65R17	108	H	XL	C	C	70	B	✓		607477
	235/65R17	108	V	XL	C	C	70	B	✓		607597
	245/65R17	111	H	XL	C	C	70	B	✓		607754
	245/70R17	110	H		C	C	70	B	✓		613696
18	255/60R17	110	V	XL	C	C	71	B	✓		607606
	255/65R17	110	H		C	C	71	B	✓		607947
	255/65R17	110	V		C	C	71	B	✓		607952
	265/65R17	112	H		C	C	71	B	✓		607953
	265/70R17	115	H		C	C	71	B	✓		613539
	275/65R17	115	H		C	C	71	B	✓		613541
	285/65R17	116	H		C	C	72	B	✓		613231
	215/60R18	98	H		C	C	70	B	✓		1002124
	225/55R18	98	H		C	C	70	B	✓		607883
	225/60R18	100	V		C	C	70	B	✓		607727
	235/60R18	107	H	XL	C	C	70	B	✓		607963
	235/60R18	107	V	XL	C	C	70	B	✓		607613
	235/65R18	110	H	XL	C	C	70	B	✓		613632
	245/60R18	105	H		C	C	70	B	✓		607954
	255/55R18	109	V	XL	C	C	71	B	✓		607981
	255/60R18	112	V	XL	C	C	71	B	✓		607990
	255/70R18	113	H		C	C	71	B	✓		608867
	265/60R18	110	H		C	C	71	B	✓		607699
	265/65R18	114	H		C	C	71	B	✓		613542
	275/65R18	116	H		C	C	71	B	✓		613538
	285/60R18	120	H	XL	C	C	72	A	✓		613549

X-PRIVILO TX9 UTQG: 500 A A



PERFORMANCE



HIGHWAY TERRAIN

X-PRIVILO TX9 features a symmetrical tread design, delivering an exhilarating driving experience tailored for consumers who seek the thrill of driving. It provides precise handling and exceptional grip in dry/wet conditions.



Four wide main longitudinal grooves enhance drainage performance, demonstrating outstanding hydroplaning resistance at high speeds.



The optimized multi-pitch arrangement significantly reduces tire noise. By refining the number and size of the pitches, it ensures a quieter driving experience.



The optimized composite material provides superior wet grip and lower rolling resistance.



RANGE:	15-20
SPEED RATE:	T/H/V
ASPECT RATIO:	50-75
SECTION WIDTH:	205-285

X-PRIVILO TX9

SUV/4x4

Rim	Size	LI	SR	XL	M+S	3PMSF	UTQG		
							Treadwear	Traction	Temperature
15	215/75R15	100	T		✓		500	A	A
	235/75R15	109	T		✓		500	A	A
	205/70R16	97	H		✓		500	A	A
	215/70R16	100	H		✓		500	A	A
	225/70R16	107	H	XL	✓		500	A	A
16	235/60R16	100	H		✓		500	A	A
	235/70R16	106	H		✓		500	A	A
	245/70R16	111	H	XL	✓		500	A	A
	245/75R16	111	T		✓		500	A	A
	255/65R16	109	H		✓		500	A	A
	255/70R16	111	H		✓		500	A	A
	265/70R16	112	H		✓		500	A	A
	275/70R16	114	H		✓		500	A	A
	205/60R17	97	V		✓		500	A	A
	215/60R17	100	H	XL	✓		500	A	A
17	215/65R17	99	H		✓		500	A	A
	225/60R17	99	H		✓		500	A	A
	225/65R17	102	H		✓		500	A	A
	235/60R17	106	H	XL	✓		500	A	A
	235/65R17	108	H	XL	✓		500	A	A
	245/65R17	111	H	XL	✓		500	A	A
	245/70R17	110	H		✓		500	A	A
	255/60R17	110	V	XL	✓		500	A	A
	255/65R17	110	V		✓		500	A	A
	265/65R17	112	H		✓		500	A	A
18	265/70R17	115	H		✓		500	A	A
	275/65R17	115	H	XL	✓		500	A	A
	285/65R17	116	H	XL	✓		500	A	A
	225/60R18	100	V		✓		500	A	A
	235/60R18	107	H	XL	✓		500	A	A
	235/65R18	110	H	XL	✓		500	A	A
	245/60R18	105	H		✓		500	A	A
	255/60R18	112	V	XL	✓		500	A	A
	255/70R18	113	H		✓		500	A	A
	265/60R18	110	H		✓		500	A	A
19	265/65R18	114	H		✓		500	A	A
	265/70R18	116	H		✓		500	A	A
	275/65R18	116	H		✓		500	A	A
	285/60R18	120	H	XL	✓		500	A	A
	225/55R19	103	V	XL	✓		500	A	A
	235/55R19	105	V	XL	✓		500	A	A
	235/60R19	107	V	XL	✓		500	A	A
	235/65R19	109	H	XL	✓		500	A	A
	245/55R19	107	V	XL	✓		500	A	A
	255/55R19	111	V	XL	✓		500	A	A
20	255/60R19	113	V	XL	✓		500	A	A
	275/55R20	117	V	XL	✓		500	A	A
	275/60R20	116	V	XL	✓		500	A	A
	285/50R20	116	V	XL	✓		500	A	A

X-PRIVILO AT01

UTQG: 500 A B
ONLY FOR P TIRE



ALL TERRAIN

X-PRIVILO AT01 series is completely suitable for multiple road conditions, provides excellent road contacting stability for more safe running. Intensive structure of the sidewall guarantees durability in all weather and road conditions.

- Wide shoulder block design and enhanced block stiffness increase stability and durability, even on tough roads.
- Sidewall pattern design can guard against cuts, bruises and impact breaks to improve off-road endurance.
- Block chamfer design can enhance the wear resistance and comfort performance, and help prevent tire damage from stones or external impacts.



RANGE:	15-16
SPEED RATE:	S/T/H
ASPECT RATIO:	70-80
SECTION WIDTH:	195-265

X-PRIVILO AT01

SUV/4x4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	195/80R15	100	T	XL	C	C	71	B	✓		606888
	235/75R15	109	T	XL	C	C	71	B	✓		613432
	255/70R15	112	H	XL	C	C	71	B	✓		608523
	265/70R15	112	H		C	C	71	B	✓		608530
16	215/70R16	100	H		C	C	71	B	✓		607969

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	255/70R15C	112/110	S		C	C	71	B	✓		



X-PRIVILO AT08 *UTQG: S60 A B*
ONLY FOR P TIRE




ALL TERRAIN


X-PRIVILO AT08 series has excellent performance for multi road conditions. The whole design offers efficient water drainage and enhance vehicle performance on both on and off roads. Aggressive sidewall protections increase off-road bite and prevent damage from sidewall cut and abrasions.



Serrated snow patterns with fine sipes provide great grip under snow & ice conditions.



The wide open shoulder grooves enhance wet grip and provide excellent water & snow evacuation.



The wide tread enhance the traction under ice and snow conditions.



RANGE:	15-20
SPEED RATE:	S/T/H
ASPECT RATIO:	50-75
SECTION WIDTH:	215-285

X-PRIVILO AT08

SUV/4x4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
16	215/70R16	100	T		D	C	71	B	✓		613467
	225/70R16	103	T		D	C	71	B	✓		607793
	225/75R16	104	T		D	C	71	B	✓		607503
	235/70R16	106	T		D	C	71	B	✓		607608
	245/70R16	111	T	XL	D	C	72	B	✓		606942
	255/70R16	111	T		D	C	72	B	✓		607531
	265/70R16	112	T		D	C	72	B	✓		606947
	275/70R16	114	T		D	C	72	B	✓		613482
17	225/60R17	99	T		D	C	71	B	✓		613556
	225/65R17	102	T		D	C	71	B	✓		613575
	235/65R17	104	T		D	C	71	B	✓		607797
	245/65R17	111	T	XL	D	C	72	B	✓		607554
	245/70R17	110	T		D	C	71	B	✓		613661
	255/65R17	110	T		D	C	72	B	✓		607408
	265/65R17	112	T		D	C	72	B	✓		607386
18	265/70R17	115	T		D	C	72	B	✓		613551
	265/60R18	110	T		D	C	72	B	✓		668629
	265/60R18	114	T	XL	D	C	72	B	✓		613566
	285/60R18	116	T		D	C	73	B	✓		613543
20	265/50R20	111	H	XL	D	C	72	B	✓		613752
	285/50R20	116	H	XL	D	C	75	B	✓		607971

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	LT215/75R15	100/97	S		-	-	-	-	✓		
	LT235/75R15	104/101	S		-	-	-	-	✓		
	LT235/75R15	116/113	S		-	-	-	-	✓		

X-PRIVILO M/T



PERFORMANCE



MUD TERRAIN

X-PRIVILO M/T series is borned for professional off-road conditions. Strong tyre structure brings reliability and durability. The robust design provides excellent traction performance on various tough road conditions. Pretty shoulder design increases the entertainment of refitted vehicle.

- Three main zigzag grooves and aggressive pattern design provide outstanding traction.
- The block tread design with multiple-sipes provide outstanding off-road traction and reduce tread damage on off-road condition.
- Jointless Nylon band and strong structure design enhance the reliability and durability. Special tread compound and wide footprint deliver excellent braking on wet and dry roads.



RANGE:	15-18
SPEED RATE:	Q
ASPECT RATIO:	50-75
SECTION WIDTH:	225-315

INCLUDING FLOATATION SIZES

X-PRIVILO M/T

SUV/4x4

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	31X10.50R15LT	109	Q		POR	POR	POR	POR	✓		
	33X12.50R15LT	108	Q		POR	POR	POR	POR	✓		
	LT225/75R16	115/112	Q		POR	POR	POR	POR	✓		
16	LT245/75R16	120/116	Q		POR	POR	POR	POR	✓		
	LT265/75R16	123/120	Q		POR	POR	POR	POR	✓		
	LT285/75R16	126/123	Q		-	-	-	-	✓		
	LT305/70R16	124/121	Q		-	-	-	-	✓		
	LT315/75R16	127/124	Q		-	-	-	-	✓		
17	LT265/70R17	121/118	Q		POR	POR	POR	POR	✓		
	LT285/70R17	121/118	Q		POR	POR	POR	POR	✓		
	33X12.50R17LT	120	Q		POR	POR	POR	POR	✓		
	35X12.50R17LT	125	Q		-	-	-	-	✓		
18	33X12.50R18LT	118	Q		POR	POR	POR	POR	✓		
	35X12.50R18LT	123	Q		-	-	-	-	✓		



WINTER

X-PRIVIO S130

ICE-PLUS S210

ICE-PLUS S220

X-PRIVIO S330

X-PRIVIO S360

X-PRIVIO S500

X-PRIVIO S550


X-PRIVIO VS450

ICE-PLUS SR1

X-PRIVILO S130



PERFORMANCE



STUDLESS SNOW TYRE

The design of single guide pattern and transverse drainage groove makes the snow/wet slippery pavement show excellent traction and braking performance.

Longitudinal semi-deep drainage groove design enables effective connection between patterned blocks, increases the strength of patterned blocks, and provides better turning performance.

High density 3D snow steel sheet design can effectively enhance the grip force in the snow, effectively pierce the water film on the wet road surface, and prevent the occurrence of water sliding.



3PMSF



RANGE:	13-20
SPEED RATE:	H/T/V
ASPECT RATIO:	50-80
SECTION WIDTH:	135-225

X-PRIVILO S130

WINTER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
13	*145/70R13	66	T		D	B	70	B	✓	✓	
	145/70R13	71	T		D	B	70	B	✓	✓	607870
	145/80R13	75	T		D	B	70	B	✓	✓	607840
	155/65R13	73	T		D	B	70	B	✓	✓	606920
	155/70R13	75	T		D	B	70	B	✓	✓	608547
	155/80R13	79	T		D	B	70	B	✓	✓	607426
	165/70R13	79	T		D	B	70	B	✓	✓	607812
	175/65R13	80	T		D	B	70	B	✓	✓	607390
14	175/70R13	82	T		D	B	70	B	✓	✓	704084
	155/65R14	75	T		D	B	70	B	✓	✓	607387
	165/60R14	79	T	XL	D	B	70	B	✓	✓	607611
	165/65R14	79	T		D	B	70	B	✓	✓	606898
	165/70R14	81	T		D	B	70	B	✓	✓	606779
	165/70R14	85	T	XL	D	B	70	B	✓	✓	607977
	175/65R14	82	T		D	B	70	B	✓	✓	606877
	175/65R14	86	T	XL	D	B	70	B	✓	✓	607519
	175/70R14	84	T		D	B	70	B	✓	✓	607659
	175/70R14	88	T	XL	D	B	70	B	✓	✓	607469
	185/55R14	80	T		D	B	70	B	✓	✓	607940
	185/60R14	82	H		D	B	70	B	✓	✓	608909
	185/65R14	86	H		D	B	70	B	✓	✓	606588
	185/70R14	88	T		D	B	70	B	✓	✓	607927
	195/65R14	89	T		D	B	70	B	✓	✓	613553
	195/70R14	91	T		C	B	70	B	✓	✓	606730
15	135/70R15	70	T		D	B	70	B	✓	✓	608863
	145/65R15	72	T		D	B	70	B	✓	✓	607432
	155/60R15	74	T		D	B	70	B	✓	✓	607895
	165/60R15	81	T	XL	D	B	70	B	✓	✓	607452
	165/65R15	81	T		D	B	70	B	✓	✓	607635
	175/55R15	77	T		D	B	70	B	✓	✓	607718
	175/65R15	84	T		D	B	70	B	✓	✓	613490
	185/55R15	82	H		D	B	70	B	✓	✓	607578
	185/60R15	84	T		D	B	70	B	✓	✓	606946
	185/60R15	88	T	XL	D	B	70	B	✓	✓	607439
	185/65R15	88	T		D	B	70	B	✓	✓	833448
	185/65R15	88	H		D	B	70	B	✓	✓	606948
	185/65R15	92	T	XL	C	B	70	B	✓	✓	607807
	195/50R15	82	H		D	B	70	B	✓	✓	606884
	195/55R15	85	H		D	B	70	B	✓	✓	606932
	195/60R15	88	H		D	B	70	B	✓	✓	607465
	195/65R15	91	H		C	B	70	B	✓	✓	606916
	195/65R15	95	T	XL	C	B	70	B	✓	✓	607854
	205/60R15	91	H		C	B	70	B	✓	✓	607693
	205/65R15	94	H		C	B	70	B	✓	✓	607662
16	205/70R15	96	T		C	B	70	B	✓	✓	607634
	215/65R15	96	H		C	B	70	B	✓	✓	607985
	215/65R15	100	H	XL	C	B	70	B	✓	✓	607740
	215/70R15	98	T		C	B	70	B	✓	✓	608859
	185/60R16	86	H		D	B	70	B	✓	✓	613649
	195/50R16	84	H		D	B	70	B	✓	✓	607420
	195/50R16	88	V	XL	D	B	70	B	✓	✓	606440
	195/55R16	87	H		D	B	70	B	✓	✓	607402
	195/55R16	91	V	XL	C	B	70	B	✓	✓	607376
	195/60R16	89	H		D	B	70	B	✓	✓	608521
	205/55R16	91	H		C	B	70	B	✓	✓	716183
	205/55R16	91	V		C	B	70	B	✓	✓	606520
	205/60R16	92	T		C	B	70	B	✓	✓	833446
	205/60R16	92	H		C	B	70	B	✓	✓	606930
	205/60R16	96	H	XL	C	B	70	B	✓	✓	609423
	*205/65R16	99	H	XL	C	B	70	B	✓	✓	
20	*215/45R16	90	V	XL	C	B	70	B	✓	✓	
	215/60R16	95	H		C	B	70	B	✓	✓	607886
	215/60R16	99	H	XL	C	B	70	B	✓	✓	606995
	215/65R16	98	H		C	B	70	B	✓	✓	613209
	215/65R16	102	H	XL	C	B	70	B	✓	✓	606608
	225/60R16	98	H		C	B	70	B	✓	✓	613705
	225/60R16	102	H	XL	C	B	70	B	✓	✓	607960
	195/55R20	95	H	XL	D	B	70	B	✓	✓	1371680

ICE-PLUS S210




PERFORMANCE




STUDLESS SNOW TYRE HP/UHP

Ice-plus S210 provides excellent performance in wet and snowy road conditions, without compromising on ride comfort. The asymmetrical tread pattern with fine sipes increase the traction due to greater snow-snow friction.



4 wide tread grooves with fine sipes enhance steering and controlling ability.



Serrated snow patterns with fine sipes provide greater grip in snow & ice conditions.



The special tread compound remains flexible at lower temperature to ensure the grip in winter road condition.



3PMSF



RANGE:	15-19
SPEED RATE:	H/V
ASPECT RATIO:	35-65
SECTION WIDTH:	175-275

ICE-PLUS S210


WINTER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
15	175/60R15	81	H		D	C	71	B	✓	✓	607851
	195/65R15	91	H		C	C	72	B	✓	✓	607986
	185/50R16	81	H		C	C	71	B	✓	✓	607711
16	185/55R16	87	H	XL	C	C	71	B	✓	✓	607709
	195/45R16	84	H	XL	C	C	72	B	✓	✓	606725
	205/45R16	87	H	XL	C	C	72	B	✓	✓	607332
	205/50R16	91	H	XL	C	C	72	B	✓	✓	607558
	205/55R16	94	H	XL	C	C	72	B	✓	✓	608575
	215/55R16	97	H	XL	C	C	72	B	✓	✓	606938
	225/55R16	99	H	XL	C	C	72	B	✓	✓	608630
	235/60R16	100	H		C	C	72	B	✓	✓	613300
	205/40R17	84	V	XL	C	C	72	B	✓	✓	607427
17	205/45R17	88	V	XL	C	C	71	B	✓	✓	607550
	205/50R17	93	V	XL	C	C	72	B	✓	✓	606987
	205/55R17	95	V	XL	C	C	72	B	✓	✓	613234
	215/40R17	87	V	XL	C	C	71	B	✓	✓	607441
	215/45R17	91	V	XL	C	C	72	B	✓	✓	607671
	215/50R17	95	V	XL	C	C	72	B	✓	✓	607621
	215/55R17	98	V	XL	C	C	72	B	✓	✓	613464
	215/60R17	96	H		C	C	72	B	✓	✓	606984
	225/45R17	94	V	XL	C	C	72	B	✓	✓	607483
	225/50R17	98	V	XL	C	C	72	B	✓	✓	613217
	225/55R17	101	V	XL	C	C	72	B	✓	✓	606881
	225/60R17	99	H		C	C	72	B	✓	✓	607424
	235/45R17	97	V	XL	C	C	72	B	✓	✓	607859
	235/55R17	103	V	XL	C	C	72	B	✓	✓	608560
	235/60R17	102	H		C	C	72	B	✓	✓	613447
18	245/45R17	99	V	XL	C	C	72	B	✓	✓	607885
	225/40R18	92	V	XL	C	C	72	B	✓	✓	613499
	225/45R18	95	V	XL	C	C	72	B	✓	✓	607704
	235/40R18	95	V	XL	C	C	72	B	✓	✓	607924
	235/45R18	98	V	XL	C	C	71	B	✓	✓	607508
	235/50R18	101	V	XL	C	C	72	B	✓	✓	608507
	245/40R18	97	V	XL	C	C	70	B	✓	✓	613474
	245/45R18	100	V	XL	C	C	72	B	✓	✓	607670
	225/40R19	93	V	XL	C	C	72	B	✓	✓	607987
19	235/35R19	91	V	XL	C	C	72	B	✓	✓	607340
	235/55R19	105	V	XL	C	C	72	B	✓	✓	607799
	245/35R19	93	V	XL	C	C	72	B	✓	✓	651381
	245/40R19	98	V	XL	C	C	71	B	✓	✓	607331
	245/45R19	102	V	XL	C	C	71	B	✓	✓	606937
	255/35R19	96	V	XL	C	C	71	B	✓	✓	607360
	255/40R19	100	V	XL	C	C	71	B	✓	✓	607767
	275/35R19	100	V	XL	C	C	72	B	✓	✓	649042
	275/40R19	105	V	XL	C	C	72	B	✓	✓	654261

ICE-PLUS S220



PERFORMANCE



STUDLESS UHP

Optimally combines of high-performance handling and reliable winter grip. It offers balanced driving in rapid changing weather conditions for sporty cars. Advanced winter grip on dry, wet and snowcovered roads due to functional performance siping.

4 wide tread grooves with fine sipes enhance steering and controlling ability.

Serrated snow patterns with fine sipes provide great grip under snow & ice conditions.

The special tread compound remains flexible at lower temperature to ensure the grip under winter road condition.



3PMSF



RANGE:	16-20
SPEED RATE:	H/T/V
ASPECT RATIO:	35-70
SECTION WIDTH:	215-315

ICE-PLUS S220


WINTER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
16	215/65R16	98	H		C	E	72	B	✓	✓	607534
	215/70R16	100	H		C	E	72	B	✓	✓	607943
	225/70R16	103	H		C	E	72	B	✓	✓	607412
	235/70R16	106	H		C	E	72	B	✓	✓	607690
	245/70R16	107	H		C	E	72	B	✓	✓	607510
	265/70R16	112	H		C	C	72	B	✓	✓	607966
17	225/65R17	102	H		C	E	72	B	✓	✓	608603
	235/65R17	108	H	XL	C	E	72	B	✓	✓	607557
	245/65R17	107	H		C	E	72	B	✓	✓	607721
	255/60R17	106	H		C	E	72	B	✓	✓	607779
	265/65R17	112	T		C	E	72	B	✓	✓	613520
	265/70R17	115	T		C	C	71	B	✓	✓	654293
18	235/60R18	107	H	XL	C	E	72	B	✓	✓	607555
	255/55R18	109	H	XL	C	E	72	B	✓	✓	607398
19	245/55R19	107	V	XL	C	C	72	B	✓	✓	607540
	255/50R19	107	V	XL	C	E	72	B	✓	✓	607643
20	275/40R20	106	V	XL	C	E	72	B	✓	✓	607643
	315/35R20	110	V	XL	C	C	72	A	✓	✓	607962

X-PRIVILO S330




PERFORMANCE




STUDLESS SNOW TYRE UHP/SUV

X-PRIVILO S330 comprehensively improves safety and handling performance in Winter conditions, the high-tech features are contributed by new winter formula and sipe designs.



Wide longitudinal drainage grooves ensure stable wetland handling and braking performance.



Unique arrow single guide pattern design increases snow traction and enhances winter driving pleasure.



The 3D S-Curve grooves design improves handling performance on winter roads, supports a faster braking.



3PMSF



RANGE:	17-21
SPEED RATE:	H/V
ASPECT RATIO:	35-65
SECTION WIDTH:	205-295

X-PRIVILO S330

WINTER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
17	215/65R17	99	V	XL	C	B	72	B	✓	✓	2067619
	*225/45R17	91	V		C	B	72	B	✓	✓	
	*225/50R17	94	H		C	B	72	B	✓	✓	
	*225/55R17	97	H		C	B	72	B	✓	✓	
	*205/40R18	86	V		C	B	72	B	✓	✓	
18	*215/40R18	89	V		C	B	72	B	✓	✓	
	215/45R18	93	V	XL	C	B	72	B	✓	✓	607559
	*215/50R18	92	V		C	B	72	B	✓	✓	
	215/55R18	99	V	XL	C	B	72	B	✓	✓	607605
	225/45R18	95	V	XL	C	B	72	B	✓	✓	613460
	225/50R18	99	V	XL	C	B	72	B	✓	✓	607454
	225/55R18	102	V	XL	C	B	72	B	✓	✓	613503
	225/60R18	100	H	XL	C	B	72	B	✓	✓	608506
	235/55R18	104	V	XL	C	B	72	B	✓	✓	607570
	*245/50R18	104	V		C	B	72	B	✓	✓	
19	245/60R18	105	H		C	B	72	B	✓	✓	607798
	*255/35R18	94	V		C	B	72	B	✓	✓	
	255/40R18	99	V	XL	C	B	73	B	✓	✓	607522
	255/45R18	103	V	XL	C	B	73	B	✓	✓	607915
	255/60R18	112	H	XL	C	B	73	B	✓	✓	607694
	265/60R18	114	H	XL	C	B	73	B	✓	✓	607911
	*205/55R19	97	V	XL	C	B	72	B	✓	✓	
	*225/35R19	88	V	XL	C	B	72	B	✓	✓	
	225/45R19	96	V	XL	C	B	72	B	✓	✓	608895
	225/55R19	103	V	XL	C	B	72	B	✓	✓	607588
	*235/40R19	96	V	XL	C	B	72	B	✓	✓	
	235/45R19	99	V	XL	C	B	72	B	✓	✓	607863
	235/50R19	103	V	XL	C	B	72	B	✓	✓	607878
	245/55R19	107	V	XL	C	B	72	B	✓	✓	
	*255/30R19	91	V	XL	C	B	72	B	✓	✓	
20	255/40R19	100	V	XL	C	B	73	B	✓	✓	607896
	255/45R19	104	V	XL	C	B	73	B	✓	✓	607837
	255/50R19	107	V	XL	C	B	73	B	✓	✓	606994
	255/55R19	111	V	XL	C	B	73	B	✓	✓	607716
	285/45R19	111	V	XL	C	B	73	B	✓	✓	608505
	*235/35R20	92	W	XL	C	B	73	B	✓	✓	
	235/45R20	100	V	XL	C	B	73	B	✓	✓	
	235/50R20	104	V	XL	C	B	73	B	✓	✓	2095922
	*235/55R20	105	V	XL	C	B	73	B	✓	✓	
	245/35R20	95	V	XL	C	B	72	B	✓	✓	607438
	245/40R20	99	V	XL	C	B	72	B	✓	✓	607944
	245/45R20	103	V	XL	C	B	72	B	✓	✓	607890
	255/35R20	97	V	XL	C	B	73	B	✓	✓	607842
	255/40R20	101	V	XL	C	B	73	B	✓	✓	607737
	255/45R20	105	V	XL	C	B	73	B	✓	✓	607602
21	255/50R20	109	V	XL	C	B	73	B	✓	✓	607495
	255/55R20	110	V	XL	E	B	73	B	✓	✓	607988
	*265/40R20	104	V	XL	C	B	73	B	✓	✓	
	265/45R20	108	V	XL	C	B	73	B	✓	✓	606715
	275/35R20	102	V	XL	C	B	73	B	✓	✓	
	275/45R20	110	V	XL	C	B	73	B	✓	✓	608510
	275/55R20	117	V	XL	C	B	73	B	✓	✓	613617
	275/60R20	119	V	XL	C	B	73	B	✓	✓	613518
	*255/40R21	102	V	XL	C	B	73	B	✓	✓	
	*265/45R21	108	V	XL	C	B	73	B	✓	✓	
21	275/45R21	110	V	XL	C	B	73	B	✓	✓	607406
	295/35R21	107	V	XL	C	B	73	B	✓	✓	607361

X-PRIVILO S360



SUPERD STUDLESS SNOW TYRE

X-PRIVILO S360 is Tracmax's premium studless passenger car tires new designed pattern, with soft compound and block pattern spread the overall tread. supporting the vehicle to achieve super high performance, safety and durability with shorter braking distance.

The sturdy shoulder block ensures confident turns. Meanwhile, due to their small deformation, their wear rate is slower.

Wide longitudinal drainage grooves ensure stable wetland handling and braking performance.

The size and position of the transverse grooves generate noise in the high-frequency range, which has been optimized to reduce road noise.



3PMSF



RANGE:	13-22
SPEED RATE:	H/R/S/T/V
ASPECT RATIO:	35-70
SECTION WIDTH:	175-325

X-PRIVILO S360

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
13	175/70R13	82	T		D	D	71	B	✓	✓	2016709
	175/65R14	82	R		D	D	71	B	✓	✓	2016706
	175/70R14	88	T	XL	D	D	71	B	✓	✓	2016713
14	185/60R14	82	T		D	D	71	B	✓	✓	2016717
	185/65R14	90	T	XL	D	D	71	B	✓	✓	2016725
	185/70R14	92	T	XL	C	D	71	B	✓	✓	2016730
	185/60R15	88	T	XL	D	D	71	B	✓	✓	2016721
15	185/65R15	92	T	XL	C	D	71	B	✓	✓	2016727
	195/55R15	89	T	XL	D	D	72	B	✓	✓	2016731
	195/60R15	92	T	XL	C	D	72	B	✓	✓	2016742
	195/65R15	95	T	XL	C	D	72	B	✓	✓	1987929
	205/65R15	99	T	XL	C	C	72	B	✓	✓	2016753
	205/70R15	100	T	XL	C	C	72	B	✓	✓	2016762
	195/55R16	87	T		D	D	72	B	✓	✓	2016735
16	205/55R16	94	T	XL	C	C	72	B	✓	✓	1987949
	205/60R16	96	T	XL	C	C	72	B	✓	✓	2016750
	205/65R16	99	T	XL	C	C	72	B	✓	✓	2016758
	215/55R16	97	T	XL	C	C	72	B	✓	✓	2016773
	215/60R16	99	T	XL	C	C	72	B	✓	✓	2016779
	215/65R16	102	T	XL	C	C	72	B	✓	✓	2016790
	215/70R16	100	T		C	C	72	B	✓	✓	2016819
	225/70R16	103	T		C	C	72	B	✓	✓	2017266
	235/70R16	106	T		C	C	72	B	✓	✓	2017279
	245/70R16	111	T	XL	C	C	72	B	✓	✓	2017300
	205/50R17	93	T	XL	C	C	72	B	✓	✓	2016746
	205/55R17	95	R	XL	C	C	72	B	✓	✓	2016749
	215/45R17	91	T	XL	C	C	72	B	✓	✓	2016765
	215/50R17	95	T	XL	C	C	72	B	✓	✓	2016771
17	215/55R17	98	T	XL	C	C	72	B	✓	✓	2016775
	215/60R17	100	R	XL	C	C	72	B	✓	✓	2016783
	215/65R17	103	T	XL	C	C	72	B	✓	✓	2016809
	225/45R17	94	T	XL	C	C	72	B	✓	✓	2016825
	225/50R17	98	T	XL	C	C	72	B	✓	✓	2016832
	225/55R17	101	T	XL	C	C	72	B	✓	✓	2016834
	225/60R17	103	S	XL	C	C	72	B	✓	✓	2016838
	225/65R17	106	T	XL	C	C	72	B	✓	✓	2017265
	235/45R17	94	S		C	C	72	B	✓	✓	2017267
	235/55R17	103	T	XL	C	C	72	B	✓	✓	2017271
	235/65R17	108	T	XL	C	C	72	B	✓	✓	2017277
	245/65R17	111	T	XL	C	C	72	B	✓	✓	2017299
	245/70R17	110	T		C	C	72	B	✓	✓	2017301
	265/65R17	116	T	XL	C	C	72	B	✓	✓	2017313
18	215/55R18	99	T	XL	C	C	72	B	✓	✓	2016777
	225/40R18	92	H	XL	C	C	72	B	✓	✓	2016823
	225/45R18	95	T	XL	C	C	72	B	✓	✓	2016828
	225/50R18	95	H		C	C	72	B	✓	✓	2016833
	225/55R18	98	T		C	C	72	B	✓	✓	2016835
	225/60R18	104	T	XL	C	C	72	B	✓	✓	2017264
	235/45R18	98	T	XL	C	C	72	B	✓	✓	2017268
	235/50R18	101	T	XL	C	C	72	B	✓	✓	2017269
	235/55R18	104	T	XL	C	C	72	B	✓	✓	2017272
	235/60R18	107	T	XL	C	C	72	B	✓	✓	2017276
	245/40R18	97	T	XL	C	C	72	B	✓	✓	2017286
	245/45R18	100	T	XL	C	C	72	B	✓	✓	2017292
	245/50R18	100	S		C	C	72	B	✓	✓	2017296
	255/55R18	109	T	XL	C	C	72	B	✓	✓	2017309
	265/60R18	114	T	XL	C	C	72	B	✓	✓	2017312
	265/65R18	116	T	XL	C	C	72	B	✓	✓	2049137
	285/60R18	116	T		C	C	72	A	✓	✓	2017322

WINTER

X-PRIVIO S360

WINTER

Rim	Size	LI	SR	XL					M+S	3PMSF	EPREL Code
19	225/45R19	96	T	XL	C	C	72	B	✓	✓	2016830
	225/55R19	103	T	XL	C	C	72	B	✓	✓	2016837
	235/50R19	103	T	XL	C	C	72	B	✓	✓	2017270
	235/55R19	105	T	XL	C	C	72	B	✓	✓	2017274
	245/40R19	98	S	XL	C	C	72	B	✓	✓	2017289
	245/45R19	102	T	XL	C	C	72	B	✓	✓	2017294
	245/55R19	107	T	XL	C	C	72	B	✓	✓	2017298
	255/40R19	100	V	XL	C	C	72	B	✓	✓	2017302
	255/45R19	104	T	XL	C	C	72	B	✓	✓	2017304
	255/50R19	107	T	XL	C	C	72	B	✓	✓	2017306
	255/55R19	111	T	XL	C	C	72	B	✓	✓	2017310
	265/55R19	113	T	XL	C	C	72	B	✓	✓	2048043
20	235/55R20	102	T		C	C	72	B	✓	✓	2017275
	245/45R20	103	V	XL	C	C	72	B	✓	✓	2017295
	245/50R20	105	T	XL	C	C	72	B	✓	✓	2049045
	255/40R20	101	H	XL	C	C	72	B	✓	✓	2049095
	255/45R20	105	T	XL	C	C	72	B	✓	✓	2017305
	255/50R20	109	T	XL	C	C	72	B	✓	✓	2017308
	265/50R20	111	T	XL	C	C	72	B	✓	✓	2017311
	265/55R20	113	T	XL	C	C	72	B	✓	✓	2048050
	275/40R20	106	V	XL	C	C	72	B	✓	✓	2017314
	275/45R20	110	T	XL	C	C	72	B	✓	✓	2017317
	275/50R20	113	T	XL	C	C	72	B	✓	✓	2017319
	275/60R20	116	T	XL	C	C	72	B	✓	✓	2049225
21	285/35R20	104	H	XL	C	C	72	B	✓	✓	2049235
	285/50R20	116	T	XL	C	C	72	A	✓	✓	2017321
	315/35R20	110	V	XL	C	C	72	A	✓	✓	2017323
	235/50R21	101	T		C	C	72	B	✓	✓	2049038
	*265/45R21	108	T	XL	C	C	72	B	✓	✓	
22	275/45R21	110	T	XL	C	C	72	B	✓	✓	2017318
	285/45R21	113	T	XL	C	C	72	A	✓	✓	2049270
	315/40R21	115	H	XL	C	C	72	A	✓	✓	2049821
	*265/40R22	106	T	XL	C	C	72	B	✓	✓	
	265/50R22	112	T	XL	C	C	72	B	✓	✓	2049110
	275/40R22	107	H	XL	C	C	72	B	✓	✓	2049155
	275/50R22	115	T	XL	C	C	72	B	✓	✓	2049169
	285/40R22	110	H	XL	C	C	72	A	✓	✓	2049248
	285/45R22	114	H	XL	C	C	72	A	✓	✓	2049819
	315/35R22	111	H	XL	C	C	72	A	✓	✓	2049820
	325/35R22	114	H	XL	C	C	73	B	✓	✓	2049822
	325/40R22	114	H		C	C	73	B	✓	✓	2049823



X-PRIVILO S500



PERFORMANCE



STUDDABLE SNOW TYRE

X-PRIVILO S500 is studdable performance winter tyres for passenger cars. Super grip design delivers ultimate safety under all winter conditions. Patent-designed rubber formula guarantee soft performance in extremely cold weather. Low Fuel consumption and comfortable noise level.

high-density stud arrangement guarantee the grip performance under ice and snow road conditions. Padded stud design ensures the stud stability, avoid loose and fall off while running.

The special tread formula allows tyres to keep elastic and soft in extreme cold weather conditions.

The directional tread pattern and sipe design bring good drainage performance in snow, slush and water conditions. The sipe pattern and saw-tooth block edges improve the handling and stability on snow and ice.



3PMSF



RANGE:	13-22
SPEED RATE:	S/T/H
ASPECT RATIO:	35-75
SECTION WIDTH:	155-325

X-PRIVILO S500

WINTER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
13	155/70R13	75	T		D	D	71	B	✓	✓	1547329
	175/70R13	82	T		D	D	71	B	✓	✓	1547365
	175/65R14	86	T	XL	D	D	71	B	✓	✓	1547345
14	175/70R14	88	T	XL	C	D	71	B	✓	✓	1547446
	185/60R14	82	T		D	D	71	B	✓	✓	1547463
	185/65R14	90	T	XL	C	D	71	B	✓	✓	1547479
	185/70R14	92	T	XL	C	D	71	B	✓	✓	1547495
	185/55R15	82	T		D	D	71	B	✓	✓	1547454
15	185/60R15	88	T	XL	C	D	72	B	✓	✓	668716
	185/65R15	92	T	XL	C	D	72	B	✓	✓	668721
	195/55R15	85	T		D	D	72	B	✓	✓	1548342
	195/60R15	92	T	XL	C	D	72	B	✓	✓	1548344
	195/65R15	95	T	XL	C	D	72	B	✓	✓	668758
	205/65R15	99	T	XL	C	D	72	B	✓	✓	668780
	205/70R15	96	T		C	D	72	B	✓	✓	1548432
	205/75R15	97	S		C	D	72	B	✓	✓	1548433
	195/55R16	91	T	XL	C	D	72	B	✓	✓	1548343
16	205/55R16	94	T	XL	C	D	72	B	✓	✓	668669
	205/60R16	96	T	XL	C	D	72	B	✓	✓	668793
	205/65R16	99	T	XL	C	D	72	B	✓	✓	1548436
	215/55R16	97	T	XL	C	D	72	B	✓	✓	1548430
	215/60R16	99	T	XL	C	D	72	B	✓	✓	668811
	215/65R16	102	T	XL	C	D	72	B	✓	✓	668820
	215/70R16	100	T		C	D	72	B	✓	✓	1548444
	225/70R16	107	T	XL	C	D	72	B	✓	✓	1548470
	235/70R16	106	T		C	D	72	B	✓	✓	1548541
	245/70R16	111	T	XL	C	D	72	B	✓	✓	1548619
	265/70R16	112	T		C	D	72	B	✓	✓	1548739
	205/50R17	93	T	XL	C	D	72	B	✓	✓	1548429
17	215/50R17	95	T	XL	C	D	72	B	✓	✓	1548435
	215/55R17	98	T	XL	C	D	72	B	✓	✓	668829
	215/60R17	100	T	XL	C	D	72	B	✓	✓	1548438
	215/65R17	99	T		C	D	72	B	✓	✓	1548441
	225/45R17	94	T	XL	C	D	72	B	✓	✓	668843
	225/50R17	98	T	XL	C	D	72	B	✓	✓	668853
	225/55R17	101	T	XL	C	D	72	B	✓	✓	668862
	225/60R17	103	T	XL	C	D	72	B	✓	✓	668872
	225/65R17	106	T	XL	C	D	72	B	✓	✓	1548467
	235/55R17	103	T	XL	C	D	72	B	✓	✓	1548492
	235/65R17	108	T	XL	C	D	72	B	✓	✓	668874
	265/65R17	112	T		C	D	72	B	✓	✓	1548724
18	215/55R18	99	T	XL	C	D	72	B	✓	✓	1548437
	225/45R18	95	T	XL	C	D	72	B	✓	✓	1548447
	225/55R18	102	T	XL	C	D	72	B	✓	✓	1548453
	225/60R18	104	T	XL	C	D	72	B	✓	✓	1548468
	235/45R18	98	T	XL	C	D	72	B	✓	✓	1548481
	235/50R18	101	T	XL	C	D	72	B	✓	✓	1548483
	235/55R18	104	T	XL	C	D	72	B	✓	✓	1548505
	235/60R18	107	T	XL	C	D	72	B	✓	✓	1548531
	235/65R18	110	T	XL	C	D	72	B	✓	✓	1548537
	245/40R18	97	T	XL	C	D	72	B	✓	✓	1548571
	245/45R18	100	T	XL	C	D	72	B	✓	✓	1548582
	245/60R18	105	T		C	D	72	B	✓	✓	1548611
	255/55R18	109	T	XL	C	D	72	B	✓	✓	1548672
	255/60R18	112	T	XL	C	D	72	B	✓	✓	1548690
	265/60R18	114	T	XL	C	D	72	B	✓	✓	1548712
	265/65R18	116	T	XL	C	D	72	B	✓	✓	2050047
	285/60R18	120	T	XL	C	D	72	A	✓	✓	1549499

WINTER

X-PRIVLO S500

WINTER


Rim	Size	LI	SR	XL					M+S	3PMSF	EPREL Code
19	225/45R19	96	T	XL	C	D	72	B	✓	✓	1548450
	225/55R19	103	T	XL	C	D	72	B	✓	✓	1548458
	*235/40R19	96	T	XL	C	D	72	B	✓	✓	
	235/50R19	103	T	XL	C	D	72	B	✓	✓	1548486
	235/55R19	105	T	XL	C	D	72	B	✓	✓	1548516
	245/40R19	98	H	XL	C	D	72	B	✓	✓	2049841
	245/45R19	102	T	XL	C	D	72	B	✓	✓	1548593
	245/55R19	107	T	XL	C	D	72	B	✓	✓	1548604
	255/45R19	104	T	XL	C	D	72	B	✓	✓	1548629
	255/50R19	107	T	XL	C	D	72	B	✓	✓	1548645
	255/55R19	111	T	XL	C	D	72	B	✓	✓	1548684
	265/55R19	113	T	XL	C	D	72	B	✓	✓	2048124
20	275/35R19	100	H	XL	C	D	72	B	✓	✓	2050055
	235/55R20	105	T	XL	C	D	72	B	✓	✓	1548525
	245/45R20	103	T	XL	C	D	72	B	✓	✓	1548598
	245/50R20	105	T	XL	C	D	72	B	✓	✓	2048073
	255/45R20	105	H	XL	C	D	72	B	✓	✓	2048092
	255/50R20	109	T	XL	C	D	72	B	✓	✓	1548659
	*255/55R20	110	H	XL	C	D	72	B	✓	✓	
	265/55R20	113	T	XL	C	D	72	B	✓	✓	2048133
	265/50R20	111	T	XL	C	D	72	B	✓	✓	1548698
	275/45R20	110	T	XL	C	D	72	B	✓	✓	1548748
	275/50R20	113	T	XL	C	D	72	B	✓	✓	1549492
	275/60R20	116	T	XL	C	D	72	B	✓	✓	2054834
21	*285/45R20	112	T	XL	C	D	72	A	✓	✓	
	285/50R20	116	T	XL	C	D	72	A	✓	✓	1549494
	305/40R20	112	H	XL	C	D	73	B	✓	✓	2054843
	235/50R21	101	T		C	D	72	B	✓	✓	2049824
	*245/45R21	104	H	XL	C	D	72	B	✓	✓	
	265/45R21	108	T	XL	C	D	72	B	✓	✓	2048111
	275/40R21	107	H	XL	C	D	72	B	✓	✓	2050121
	275/45R21	110	T	XL	C	D	72	B	✓	✓	1549487
	*275/50R21	113	H	XL	C	D	72	B	✓	✓	
	*285/40R21	109	H	XL	C	D	72	A	✓	✓	
	285/45R21	113	T	XL	C	D	72	A	✓	✓	2054836
	295/35R21	107	H	XL	C	D	73	B	✓	✓	2054841
22	315/35R21	111	H	XL	C	D	73	B	✓	✓	2054845
	315/40R21	115	H	XL	C	D	73	B	✓	✓	2054846
	265/40R22	106	T	XL	C	D	72	B	✓	✓	2048103
	265/50R22	112	T	XL	C	D	72	B	✓	✓	2049843
	275/35R22	104	H	XL	C	D	72	B	✓	✓	2050067
	275/40R22	107	T	XL	C	D	72	B	✓	✓	2048143
	275/50R22	115	T	XL	C	D	72	B	✓	✓	2054832
	285/40R22	110	H	XL	C	D	72	A	✓	✓	2048159
	285/45R22	114	H	XL	C	D	72	A	✓	✓	2048172
	*315/35R22	111	T	XL	C	D	72	A	✓	✓	
	*325/40R22	114	H		C	D	73	B	✓	✓	



X-PRIVILO S550



PERFORMANCE



STUDDABLE LT WINTER TYRE

This series offers exceptional winter grip and driving stability combined with strong structure and great mileage. Safety and reliability for extreme winter conditions. Strength and Stability for heavy loads.

Unsymmetrical and directional Wave shape grooves design Improves grip on ice and snow, skid resistance, and effectively reduces noise emissions.

The winter tread formula allows the tire to maintain elasticity to improve grip in extreme cold weather conditions.

Strong structure offers good strength for heavy loads.



3PMSF




RANGE:	16-17
SPEED RATE:	S
ASPECT RATIO:	70-75
SECTION WIDTH:	225-265

X-PRIVILO S550

WINTER


Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
16	LT225/75R16	115/112	S		C	D	73	B	✓	✓	1573060
	LT245/75R16	120/116	S		C	D	73	B	✓	✓	1573062
17	LT245/70R17	119/116	S		C	D	73	B	✓	✓	1573061
	LT265/70R17	121/118	S		C	D	73	B	✓	✓	1573063



X-PRIVILO VS450



PERFORMANCE



WINTER COMMERCIAL VAN

Designed to operate in slippery wintry weather conditions, meeting the industry's severe snow service requirements and branded with the three-peak mountain snowflake (3PMSF) symbol, X-privilo VS450 tyres enhance traction on cold, wet, snow-covered and icy roads.

Two straight and one semiserrated main grooves can effectively drain the accumulated water, improve the grip of wet and slippery tire pavement, and have excellent snow performance.

Five-frequency combination pattern block can effectively reduce the resonance phenomenon of pattern block and the fetal noise.

The design of the joint shoulder pattern block enlarges the grounding area and effectively improves the tire's dry-ground formulation and ice-snow traction.



3PMSF



RANGE:	14-17
SPEED RATE:	H/R/S/T
ASPECT RATIO:	55-80
SECTION WIDTH:	165-235

X-PRIVILO VS450

WINTER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
14	165/70R14C	89/87	R		E	B	72	B	✓	✓	606911
	175/65R14C	90/88	T		E	B	72	B	✓	✓	606976
	175/70R14C	95/93	T		E	B	72	B	✓	✓	607352
	175R14C	99/98	R		C	B	72	B	✓	✓	607735
	185R14C	102/100	R		C	B	72	B	✓	✓	607653
	195R14C	106/104	R		C	B	72	B	✓	✓	613740
15	185/65R15C	97/95	S		C	B	72	B	✓	✓	2217602
	195/70R15C	104/102	R		C	B	72	B	✓	✓	607979
	205/70R15C	106/104	R		C	B	72	B	✓	✓	607967
	*215/65R15C	104/102	T		C	B	72	B	✓	✓	
	215/70R15C	109/107	R		C	B	72	B	✓	✓	607450
	225/70R15C	112/110	R		C	B	72	B	✓	✓	606692
16	175/75R16C	101/99	R		C	B	72	B	✓	✓	607683
	185/75R16C	104/102	R		C	B	72	B	✓	✓	613354
	195/60R16C	99/97	T		C	B	72	B	✓	✓	607861
	195/65R16C	104/102	T		C	B	72	B	✓	✓	607846
	195/75R16C	107/105	R		C	B	72	B	✓	✓	606986
	195/75R16C	110/108	R		C	B	72	B	✓	✓	606712
	205/65R16C	107/105	R		C	B	72	B	✓	✓	606683
	205/75R16C	110/108	R		C	B	72	B	✓	✓	607687
	205/75R16C	113/111	R		C	B	72	B	✓	✓	607973
	215/60R16C	103/101	R		C	B	72	B	✓	✓	608611
	215/65R16C	109/107	R		C	B	72	B	✓	✓	607546
	215/75R16C	113/111	R		C	B	72	B	✓	✓	607965
17	215/75R16C	116/114	R		C	B	72	B	✓	✓	607957
	225/65R16C	112/110	R		C	B	72	B	✓	✓	606934
	225/75R16C	121/120	R		C	B	72	B	✓	✓	607950
	235/65R16C	115/113	R		C	B	72	B	✓	✓	613449
	235/65R16C	121/119	R		C	B	72	B	✓	✓	606951
	*215/60R17C	109/107	T		C	B	72	B	✓	✓	
	*225/55R17C	109/107	H		C	B	72	B	✓	✓	

ICE-PLUS SR1




PERFORMANCE




WINTER STUDDABLE VAN TYRE


Studdable tread pattern design with reinforced structure ensures excellent handing performance in extreme winter road conditions. The special tread compound effectively enhances the performance of the tyre grip to ensure safe driving in winter season.



Special silica tread compound ensure the tire has good snow performance at low temperature conditions, and reduce tire rolling resistance.



The wide lateral grooves enhance the edge effect, improve the traction and braking performance on the snow and ice road.



Deepen the groove depth with the stud design improve the grip and handing performance on ice and snow road, make sure safety.



3PMSF




RANGE:	12-16
SPEED RATE:	Q/N
ASPECT RATIO:	65-80
SECTION WIDTH:	155-235



ICE-PLUS SR1

WINTER

Rim	Size	LI	SR	XL			dB		M+S	3PMSF	EPREL Code
12	155R12C	88/86	Q		D	D	72	B	✓	✓	607904
	155R13C	90/88	Q		D	D	72	B	✓	✓	613322
13	155R13C	91/89	Q		D	D	72	B	✓	✓	
	165R13C	94/93	Q		D	D	72	B	✓	✓	613230
	165R13C	96/94	N		D	D	72	B			2048015
14	185R14C	102/100	Q		D	D	72	B	✓	✓	607604
	195R14C	106/104	Q		D	D	72	B	✓	✓	607980
	185/75R16C	104/102	Q		D	D	72	B	✓	✓	661836
16	195/75R16C	107/105	Q		D	D	72	B	✓	✓	2048033
	205/65R16C	107/105	Q		D	D	72	B	✓	✓	651385
	215/65R16C	109/107	Q		D	D	72	B	✓	✓	651386
	235/65R16C	115/113	Q		D	D	72	B	✓	✓	661841



CERTIFICATE



LIMITED WARRANTY

Qingdao Landspider Tire Corp., Ltd warrants, subject to the terms, conditions, and limitations stated herein, tires it sells to be free from defects in materials and workmanship.

1. WHO IS COVERED BY THIS LIMITED WARRANTY?

- (1). You are the authorized distributors from Tracmax.
- (2). Your tires bear the Department of Transportation prescribed tires identification numbers and are not branded "NA" (Not Adjustable) or "Blem" (Blemish).
- (3). Your tires have been used only on the vehicle on which they were originally installed according to the vehicle manufacturer's or tire manufacture's recommendations, and the tires were purchased within 3 years.

2. WHAT IS COVERED AND FOR HOW LONG?

Tracmax Tyre warrants that if a tire becomes unserviceable due to an eligible adjustable conditions during the tread life (defined below) within 3 years from the original date of manufacture. The tire will be replaced by an equivalent new tire. The replacement charge may be required in order to obtain a replacement tire (as defined below). Or a credit can be granted based on tread remaining.

3. REPLACEMENT CHARGE?

For tires being removed from service due to a defect in manufacture's workmanship or materials, but not within the first 2/32" wear, the replacement price will be calculated by multiplying the current selling price(or sale price if original invoice is available) by the percentage of original tread depth that has been worn from tire.

4. WHAT IS NOT COVERED?

This warranty does not cover tires that become unserviceable due to cuts, snag or punctures.

1. Conditions resulting from road hazards, such as impact damage, cuts, snag or punctures.
2. Conditions resulting from improper installation, wheel misalignment, or tire/wheel assembly imbalance.
3. Conditions or irregular wear resulting from consumer damage, such as improper tire and vehicle maintenance, misuse, abuse or accident.
4. Tires which have been repaired, retreaded, or reclaimed.
5. Tires worn beyond the Tread wear indicator.
6. Ride complaints after the first 25% tread wear.
7. Ozone or weather checking on tires over 3 years from the date of manufacture.

5. WHEN DOES THE WARRANTY END?

A tire has delivered its full original tread life and the new tire coverage of this warranty ends when the tread wear indicators become visible, or three(3) years from the date of original tire manufacture or new tire purchase date (without proof of purchase, date of manufacture will be used or determine age).

6. OBLIGATIONS

In order to be eligible for the limited Warranty Service, a Official Warranty Claim Form must be filled out and sent into Tracmax Tyre along with DOT number(s) and serial number(s) cut off from the tire, picture(s) of the tire and of the adjustable condition visibly marked on the tire.

7. DISCLAIMER

This warranty, or any warranty stated or referred to herein, is exclusive and in lieu of any other warranty regarding the quality of tires, whether expressed or implied, and remedies for breach thereof shall be limited to those specifically provided herein.

8. REMARK

- Proper vehicle and tire care is necessary to obtain the expected wear from a tire, It is your obligation to properly maintain your tires and the vehicle upon which they are mounted, including:
- (A) Operating your tires at the inflation pressure recommended by the vehicle manufacturer.
 - (B) Keep your tire/wheel assemblies in balance.
 - (C) Maintain proper wheel alignment.



TRACMAX

QINGDAO LANDSPIDER TIRE CORP., LTD
web: www.landspidertire.com